AUTHOR INDEX, VOLUME 2

Anderson, H. C.: Order of polymer pyrolysis by thermogravimetric cycling experiments, 115
Aoki, S.: see Otsu, T.
Aoyagi, T.: see Tani, H.
Araki, T.: see Tani, H.
Asai, H., and Imoto, T.: High pressure copolymerization of styrene with methyl methacrylate in various solvents, 553
Bailey, F. E., Jr., Henry, J. P., Lundberg, R. D., and Whelan, J. M.: The preparation of "head-to-head poly(vinyl chloride)", 447
Baker, W. P.: see Michel, R. H.
Ballard, L. E.: see Kinsinger, J. B.
Ban, T.: see Kurokawa, M.
Barker, R. E., Jr.: see Daane, J.
Bar-Nun, A.: see Epstein, J. A.
Basagni, D., Liquori, A. M., and Pispisa, B.: Stereospecific polymerization of vinyl monomers on some new transition metal oxide catalysts, 241
Bassett, D. C., and Salovey, R.: Radiation grafting to polymer chain folds, 503
Bawn, C. E. H., Lee, B. E., and North, A. M.: The cationic polymerization of substituted acetylenes, 263
Beevers, R. B., and White, E. F. T.: X-ray scattering by acrylonitrile + styrene copolymers, 793
Bell, V. L.: Bromination of polyhydrocarbons with N-bromosuccinimide, 193
Benoît, H.: see Freyss, D.
Berens, A. R.: see Krimm, S.
Berger, M., and Manuel, T. A.: The pyrolysis of elastomer-metal halide mixtures, 873
Bernstein, B. S.: see Odian, G.
Bettelheim, F. A.: see Macchia, D. J.
Bianchi, U.: see Pedemonte, E.
Böhme, R.: see Tobolsky, A. V.
Bond, J., Brown, C. W., and Rushton, G. S.: The role of ferric chelates in polymerization initiation, 1015
Bonin, M. A., Calvert, M., Miller, W. L., and Williams, F.: Evidence for an ionic mechanism in the radiation-induced polymerization of isobutyl vinyl ether, 143
Boor, J., Jr., and Youngman, E. A.: Ziegler polymerization of olefins. III. Highly stereospecific propylene polymerizations without metal alkyls, 265
—, Youngman, E. A.: Polymorphism, in poly-l-butene: Apparent direct formation of modification I, 903
Borsini, G., and Cipolla, M.: The effect of electron donors on the polymerization of vinyl chloride with alkylboron, 291
Borsten, H.: see Kroon, J. P. M. de
Braden, M.: Relationship of creep and recovery to behavior under sinusoidal strain, 1061
Brady, W. T., and O'Neal, H. R.: Polymerization of glyoxal, 647
Brandrup, J., and Goodman, M.: The investigation of polyacetaldehyde structure by high resolu-

tion nuclear magnetic resonance, 123
Breitenbach, J. W., and Olaj, O. F.: Initiation of polymerization of N-vinylcarbazole by carbon tetrachloride and carbon tetrabromide, 685
Brown, C. W.: see Bond, J.
Brzezinski, J.: see Moraglio, G.
Burnett, G. M., Hay, J. N., and Ross, F. L.: Aldehyde peroxides as initiators for the polymerization of acrylonitrile, 1165
Burow, S., Peterlin, A., and Turner, D. T.: Increasing viscosity of polymer solutions with increasing shear stress, 67
Bush, R. W.: see Gregorian, R. S.
Bywater, S.: see Wiles, D. M.
Calvert, M.: see Bonin, M. A.
Cameron, G. G., and Kane, D. R.: The thermal degradation of poly(methyl acrylate), 693
Canale, A. J., and Hewett, W. A.: Ligand effects on the directed polymerization of butadiene by palladium salts in aqueous media, 1041
Carazzolo, G., and Mammi, M.: Radiation polymerization of trithiane to polythiomethylene: Structure and orientation of polymer crystals, 1057
Case, L. C., and Rent, N. H.: The base-catalyzed reactions of propylene oxide with alcohols, 417
Casey, K., Elston, C. T., and Phibbs, M. K.: Methyl group clusters in free radical polyethylene, 1053
Casey, K.: see Gray, A. P.
Cassidy, H. G.: see Moser, R. E.
Castille, Y. P., and Stannett, V.: The radiation induced copolymerization of formaldehyde and styrene, 1097
Cesari, M.: Helical conformation of cis-1,4 poly (2-t-butyl-butadiene), 453
Cesca, S.: see Marconi, W.
Cha, C.–Y.: Tritium exchange studies on poly(ethylene terephthalate), 1069
Chang, W. H.: see Dowbenko, R.
Chatani, Y.: see Tadokoro, H.
Chiang, R.: The effect of back reflection correction on the Mark-Houwink equation of fractions of linear polyethylene, 855
Ciferri, A., and Hermans, J. J.: Non-equilibrium effects in the stress-strain behavior of rubbers for the explanation of deviations from rubber elasticity theory, 1089
Cipolla, M.: see Borsini, G.
Ciuta, I. Z.: see Solomon, O. F.
Cobianu, N.: see Solomon, O. F.
Cohen, C. A.: see Kennedy, J. P.
Cohen, M. S.: see Green, J.
Cottam, L., Sheldon, R. P., Hemsley, D. A., and Palmer, R. P.: Void formation in solvent-crystallized polyethylene terephthalate film, 761
Cottis, S. G., and Rosenberg, H.: The cleavage of ferrocene by aluminum chloride. Poly(cyclopentylferrocenes), 295
Cuniberti, C.: see Rossi, C.
Czvikovszky, T.: see Dobo, J.
Daane, J., and Barker, R. E., Jr.: Multiple glass transitions in cellulose 2.5 acetate, 343
D'Alagni, M., De Santis, P., Liquori, A. M., and Savino, M.: A comparison between the far ultraviolet absorption spectra of isotactic and syndiotactic polymethyl methacrylate in solution, 925

Dall'Asta, G.: see Natta, G.
Daniels, W. E.: see Fredericks, R. J.
Dauby, R.: see Teyssié, Ph.
Davidovits, J.: Longueur théorique avant courbure, de la chaîne macromoléculaire des hauts polymères linéaires, 585
Davis, D. A.: see Hagan, R. S.
De Deurwaerder, R.: A viscometer for the study of polymers at high temperatures, 177
Della Fortuna, G.: see Marconi, W.
De Santis, P.: see D'Alagni, M.
DeWames, R. E., and Lehman, G. W.: Comments on viscoelastic properties of plastics, 609
Dickson, W. P.: see Kimbrough, R. D., Jr.
Dine-Hart, R. A., Moore, B. J. C., and Wright, W. W.: Aromatic polyamides, 369
Dismore, P. F., and Statton, W. O.: Chain folding in oriented 66-nylon fibers, 1113
Dobinson, F.: see Preston, J.
Dobo, J., and Czvikovszky, T.: The grafting of styrene onto polyethylene by radiation of low intensity, 939
Dole, M.: see Haly, A. R.
Donovan, G.: see Green, J.
Doskočilová, D.: On the interpretation of high resolution NMR spectra of polyvinylchloride, 421
Dowbenko, R., and Chang, W. H.: Transannular cyclocopolymerization of 1,5-cyclooctadiene and maleic anhydride, 469
Drott, E. E., and Mendelson, R. A.: Refractive index increment (dn/dc) of low density polyethylene in tetrahydronaphthalene, 187
Eisenberg, A., and Rembaum, A.: The occurrence of chain transfer in the anionic polymerization of 9-vinylanthracene, 157
—, and Rovira, E.: A new method for the rapid determination of glass transition temperatures, 269
Elgood, B. G., Gulbekian, E. V., and Kinsler, D.: Emulsion polymerization of vinyl acetate, 257
Ellerstein, S. M.: The glass temperature as a function of molecular weight, 379
Elston, C. T.: see Casey, K.
Endo, S.: see Tanaka, A.
Epstein, J. A., and Bar-Nun, A.: Electrochemical grafting of methyl methacrylate onto cellulose, 27
Erickson, P. W., and Volpe, A.: Porous plastic, 877
—: see Warfield, R. W.
Fang, P. H.: On the analysis of dynamic behavior of high polymers, 613
Fatou, J.: see Kitamaru, R.
Fein, M. M.: see Green, J.
Feist, W. C.: see Kirshenbaum, I.
Ferroni, E., and Gabrielli, G.: Surface tension of polystyrene solutions, 51
Ferry, J. D.: see Richards, J. R.
Fetters, L. J.: Solvent participation in the anionic polymerization of styrene, 425
Field, N. D.: see Ramey, K. C.
Fischer, H.: ESR of transient free radicals during liquid phase polymerization: III. On the ESR-spectra of polymerization radicals of methacrylderivatives, 529
Folt, V. L.: see Krimm, S.
Franks, L. A.: Oxygen bleaching of gamma-radiation-induced optical absorption bands in polysty-

rene, 581
Fredericks, R. J., Lynch, D. G., and Daniels, W. E.: Thermal properties of poly(acetylene): on the origin of cuprene in Reppe's cyclooctatetraene synthesis, 803
Freyss, D., Rempp, P., and Benoît, H.: Polydispersity of anionically prepared block copolymers, 217
Friedlander, H. Z., and Frink, C. R.: Organized polymerization III. Monomers intercalated in montmorillonite, 475
Frink, C. R.: see Friedlander, H. Z.
Fujishige, R.: see Tanaka, A.
Fukui, K.: see Kagiya, T.
Furrow, C. L., and Stoops, C. E.: The radiation-induced polymerization-modification of acrylonitrile, 775
Gabrielli, G.: see Ferroni, E.
Garbatski, U.: see Kreisel, M.
Gaudemaris, G. P. de, and Sillon, B. J.: New polymers obtained by polyheterocyclization: Polyquinoxalines, 203
Gaylord, N. G., Katz, M., and Mark, H. F.: Radical displacement as a termination reaction in allyl ester polymerization, 151
Geil, P. H., Kiho, H., and Peterlin, A.: Polymer deformation. V. A possible case of repeated twinning, 71
George, D. B., and Tobolsky, A. V.: Radical anion copolymerization, 1
Giberson, R. C.: Transvinylene formation in gamma irradiated polyethylene, 951
Gipstein, E.: see Wellisch, E.
Goldberg, E. P., and Powers, E. J.: Polycarbonate-siloxy copolymers and blends, 835
—: see Hoeg, D. F.
Goldfarb, I. J.: see Penski, E. C.
Golub, M. A., and Heller, J.: Cyclohydrochlorination of 3,4-polyisoprene, 523
—, and Heller, J.: Remarks on the hydrochlorination of 1,4-polyisoprene, 723
Goodman, M.: see Brandrup, J.
Goodrich, J. E., and Porter, R. S.: Cationic polymerization of 4-methyl-1-pentene, 353
Gotoda, M.: see Machi, S.
Graham, J. P.: see Taylor, W. C.
Gray, A. P., and Casey, K.: Thermal analysis and the influence of thermal history on polymer fusion curves, 381
Green, J., Mayes, N., Kotloby, A. P., Fein, M. M., O'Brien, E. L., and Cohen, M. S.: Carborane polymers, 109
—, Fein, M. M., Mayes, N., Donovan, G., Israel, M., and Cohen, M. S.: Polymers from decaborane, 987
Gregorian, R. S., and Bush, R. W.: Reduction of polymeric carbonyl groups by aluminum isopropoxide, 481
Grotz, L. C.: The Huggins constant for polyvinyl chloride, 883
Gulbekian, E. V.: see Elgood, B. G.
Haas, H. C., and Schuler, N. W.: Thermally reversible homopolymer gel systems, 1095
Hagan, R. S., and Davis, D. A.: Post extrusion swelling of rubber modified polystyrenes, 909
Hagiwara, M.: see Machi, S.
Halpin, J. C.: Nonlinear rubberlike viscoelasticity, 959
—, and Mandelkern, L.: Some properties of polystyrene networks

formed from oriented chains, 139
Haly, A. R., and Dole, M.: Differential thermal analysis of polymers undergoing a glass transition, 285
Harada, Y.: see Tyuzyo, K.
Hardy, J.: see Simha, R.
Hargreaves, G.: Viscosity measurements of dilute solutions of nylon 66 in $CaCl_2$–CH_3OH solvent, 29
Harwood, H. J., and Ritchey, W. M.: The characterization of sequence distribution in copolymers, 601
Hasegawa, I.: see Ramey, K. C.
Hasegawa, M., and Unishi, T.: A linear polyoxadiazole, 237
Hatada, K.: see Tanaka, A.
Hay, J. N.: see Burnett, G. M.
Hayashi, E.: see Nakamura, I.
Hayashi, K.: see Takakura, K.
Heller, J.: see Golub, M. A.
Hemsley, D. A.: see Cottam, L.
Henry, J. P.: see Bailey, F. E., Jr.
Hermans, J. J.: see Ciferri, A.
Hermans, J. J.: see Szwarc, M.
Hess, P. H., Percival, D. F., and Miron, R. R.: Ambient temperature cure in unsaturated polyester-styrene copolymerizations. Relative effectiveness of initiator-promoter systems, 133
Hewett, W. A.: see Canale, A. J.
Hoeg, D. F., Lusk, D. I., and Goldberg, E. P.: Poly-p-xylylidene, 697
Hol, P. A. H. M.: see Kock, R. J. de
Holland, V. F.: see Miller, R. L.
Holly, E. D.: Thermodynamics of polymer solutions, 541
Hotta, J.: see Yuki, H.
Hozumi, Y.: see Tanaka, A.
Hsia Chen, C. S.: Dye-sensitized solid state polymerization induced by visible light, 891
Hwa, J. C. H., and Ries, H. E., Jr.: Monolayers of poly(methyl methacrylate) derived from poly(methacrylic anhydride), 389
Ibrahim, F.: A remark on viscosity average molecular weights, 441
Iizuka, H.: see Kishi, N.
Ilkka, G.: see Levine, M.
Imoto, M., Otsu, T., Nakata, T., and Kinoshita, Y.: Solid metal peroxides as radical initiator of stereospecific polymerization, 227
—: see Otsu, T.
Imoto, T.: see Asai, H.
Ingham, J. D.: see Simha, R.
Ingram, P., and Peterlin, A.: Electron diffraction and microscopy of deformed polyethylene spherulites. I., 739
Isaacson, R. B.: see Kirshenbaum, I.
Ishibashi, M.: A crystallizable copolymer composed of p-γ-oxypropoxy benzoate units and ethylene 1,4 diphenoxy butane p,p′-dicarboxylate units, 789
—: A crystallizable copolymer prepared from 1,4-bis-(p-carboxyphenoxy) butane, terephthalic acid, and ethylene glycol, 791
Ishida, A.: see Matsuzaki, K.
Ishii, Y.: see Iwatsuki, S.
Israel, M.: see Green, J.
Itoh, T.: see Kawai, H.
Iwamoto, M.: see Yuguchi, S.
Iwatsuki, S., Takigawa, N., Okada, M., Yamashita, Y., and Ishii, Y.: Basicity as a factor in the cationic copolymerization of cyclic ethers, 549
Izu, M.: see Kagiya, T.
Jäger, P.: see Wiley, R. H.
James, D. G. L., and Ogawa, T.:

The copolymerization of crotononitrile and styrene. I. Trans-crotononitrile: the penultimate unit effect, 991
Jankovics, L.: Equilibrium in flocculated systems (1), 247
Jellinek, H. H. G., Degradation-termination reactions, 457
Jenkins, R. K.: Dynamic modulus properties of some polymers during gamma irradiation, 999
—: Temperature dependency of crosslinking rate of polymers during gamma irradiation, 1147
Kagiya, T., Izu, M., and Fukui, K.: A remark on the cause of saturation in γ-ray irradiation polymerization of 3,3-bis-chloromethylcycloxabutane, 93
—, Izu, M., and Fukui, K.: Catalytic effect of inorganic solid additives on the radiation-induced solid state polymerization of 3,3-bis-chloromethylcycloxabutane, 779
—: see Machi, S.
Kambara, S.: see Noguchi, H.
—: see Oikawa, E.
—: see Yamazaki, N.
Kambe, H.: see Shimura, Y.
Kamide, K., and Moore, W. R.: Analysis of intrinsic viscosity-molecular weight data, 809
—, and Moore, W. R.: The draining effect in viscosity and sedimentation for cellulose trinitrate solutions, 1029
Kane, D. R.: see Cameron, G. G.
Katz, M.: see Gaylord, N. G.
Kaufman, H. S.: see Roldan, L. G.
Kawai, T.: A comment on the lengths of the chain folds involved in polymer single crystals, 429
—: A comment on the invariance of the fold period of single crystals with polymer molecular weight and concentration of the mother solution, 965
—, and Keller A.: Some effects on molecular fractionation during single crystal growth of polyethylene, 333
—, Itoh, T., Keedy, D. A., and Stein, R. S.: The measurement of the orientation rate of crystals in a crystalline polymer by dynamic x-ray diffraction, 1075
Keedy, D. A.: see Kawai, H.
Keller, A.: see Kawai, T.
Kennedy, J. P., Cohen, C. A., and Naegele, W.: Intramolecular hydride shift polymerization by cationic mechanism. VI. Polymerization of 3-phenyl-1-butene, 1159
Ketley, A. D.: Isomerization polymerization of branched alpha olefins, 827
Kiho, H.: see Geil, P. H.
Kimbrough, R. D., Jr., Dickson, W. P., and Wilkerson, J. M., III: The 1:1 copolymer of maleic anhydride and dihydropyran, 85
Kimura, H.: see Tabata, Y.
Kinoshita, Y.: see Imoto, M.
Kinsinger, J. B., and Ballard, L. E.: The molecular weight dependence of lower critical temperatures in polymer solutions, 879
Kinsler, D.: see Elgood, B. G.
Kirshenbaum, I., Isaacson, R. B., and Feist, W. C.: The effect of molecular motion on the birefringence-temperature curve for poly-4-methyl-1-pentene, 897
Kishi, N., and Iizuka, H.: The Barus effect of polymer melts, 399
Kitamaru, R., Mandelkern, L., and Fatou, J.: Irradiation crosslinking of polyethylene: Relative ef-

ficiency in crystalline and amorphous states, 511
Kitagawa, T.: see Miyazawa, T.
Kitamaru, R., and Mandelkern, L.: A comparison of the crosslinking of highly oriented and non-oriented crystalline polyethylene by ionizing radiation, 1019
Klebe, J. F.: Silylsubstituted polyureas, 1079
Kock, R. J. de, and Hol, P. A. H. M.: Infrared determination of unsaturation in polyethylene, 339
Kohn, D. H.: see Kreisel, M.
Komuro, K., Todani, Y., and Nagata, N.: The flow behavior of polystyrene melt in the nonsteady state, 643
Konen, T. P.: see Scott, H.
Kosei, K.: see Yuki, H.
Kotloby, A. P.: see Green, J.
Kreisel, M., Garbatski, U., and Kohn, D. H.: Copolymerization of styrene. II. The reaction with β-nitrostyrene, 81
Krimm, S., Folt, V. L., Shipman, J. J., and Berens, A. R.: Conformation-sensitive infrared carbon-chlorine bands of polyvinyl chloride, 1009
Kroon, J. P. M. de, and Borsten, H.: Linear relationship determining the tensile properties of viscose rayons, 1067
Kruse, R. L.: Extrudate swelling of molten polypropylene from an extrusion rheometer, 841
Kubota, T., and Nakanishi, R.: Preparation of fully aromatic polybenzoxazoles, 655
Kun, K. A., and Kunin, R.: Pore structure of some macroreticular ion exchange resins, 587
—, and Kunin, R.: Pore structure of some macroreticular ion exchange resins (erratum), 839
Kunin, R.: see Kun, K. A.
Kurokawa, M., and Ban, T.: Plastic crack propagation in a thin redrawn polyethylene film, 307
Kwei, K.–P. S., and Kwei, T. K.: Polymerization of styrene with sodium as catalyst, 557
Kwei, T. K.: see Kwei, K.–P. S.
Labes, M. M.: see Scott, H.
Laible, R. C., and Meredith, R.: Time-temperature superposition for polypropylene, 279
Lando, J. B., and Stannett, V.: The synthesis of highly oriented polythiomethylene directly by the radiation polymerization of crystalline trithiane, 375
Lee, B. E.: see Bawn, C. E. H.
Lehman, G. W.: see DeWames, R. E.
Levi, D. W.: see Reich, L.
Levine, M., Ilkka, G., and Weiss, P.: Relation of the critical surface tension of polymers to adhesion, 915
Liquori, A. M.: see Basagni, D.
—: see D'Alagni, M.
Loan, L. D.: The role of sulfur in peroxide cured ethylene-propylene rubber, 59
—, and Rowe, P. D.: An anomaly in the measurement of permanent set, 63
Luongo, J. P.: Double orientation effect on the polyethylene 720/730 cm.$^{-1}$ infrared doublet, 75
Lundberg, R. D.: see Bailey, F. E., Jr.
Lusk, D. I.: see Hoeg, D. F.
Lutz, D. A., and Witnauer, L. P.: Crystallinity of poly(vinyl stearate), 31
Lynch, D. G.: see Fredericks, R. J.

McCrum, N. G.: Density-independent relaxations in polypropylene, 495
Macchia, D. J., and Bettelheim, F. A.: Sorption of water vapor by amylose "B", 1101
Machi, S., Hagiwara, M., Gotoda, M., and Kagiya, T.: New information on the γ-ray radiation-induced polymerization of ethylene, 765
Malkin, A. Ya., and Vinogradov, G. V.: Molecular weight-viscosity relationships of polymers at high rates of shear, 671
Malkin, I.: see Taylor, K.
Mammi, M.: see Carazzolo, G.
Mancke, R. G.: see Richards, J. R.
Mandelkern, L.: see Halpin, J. C.
—: see Kitamaru, R.
Manuel, T. A.: see Berger, M.
Marchessault, R. H., and Settineri, W. J.: Some comments on the crystallography of xylan hydrate, 1047
Marconi, W., Cesca, S., and Della Fortuna, G.: Crystalline poly-4-vinylcyclohexene-1, 301
Mark, H.: Professor Karl Wolf, 327
—: see Gaylord, N. G.
Matsuzaki, K., Sobue, H., and Osawa, Z.: Analysis of thermal degradation of polypropylene with a thermal balance, 845
—, Uryu, T., Ishida, A., and Ohki, T.: Stereoregularity of polymethyl acrylate and polyacrylonitrile, 1139
Mayes, N.: see Green, J.
Mazzanti, G.: see Natta, G.
Meinel, G.: see Peterlin, A.
Mendelson, R. A.: see Drott, E. E.
Meredith, R.: see Laible, R. C.
Merrill, E. W.: see Raju, M. R.
Michel, R. H., and Baker, W. P.: The structure of anionically prepared poly-9-vinylanthracene, 163
Miller, R. L., and Holland V. F.: On transformations in isotactic polybutene-1, 519
Miller, W. L.: see Bonin, M. A.
Miron, R. R.: see Hess, P. H.
Mita, I.: see Shimura, Y.
Miyata, S.: see Saotome, K.
Miyazawa, T.: Infrared spectra and chemical structure of polypropylene, 847
—, and Kitagawa, T.: Crystal vibrations, specific heat, and elastic moduli of the polyethylene crystal, 395
Moacanin, J., and Rembaum, A.: Kinetics of the anionic polymerization of acenaphthylene, 979
Mokler, B. V.: see Parker, R. B., Jr.
Moore, B. J. C.: see Dine-Hart, R. A.
Moore, W. R., and Shuttleworth, R.: Solvation of cellulose derivatives, 89
—: see Kamide, K.
Moraglio, G., and Brzezinski, J.: Conformation of isotactic polypentene-1, 1105
Morita, H.: see Tyuzyo, K.
Moser, R. E., and Cassidy, H. G.: Electron transfer polymers. XXIV. Photosensitization with a polymer sensitizer in a heterogeneous and homogeneous system, 545
Motroni, G.: see Natta, G.
Mukamal, H.: see Overberger, C. G.
Murahashi, S.: see Tadokoro, H.
—: see Yuki, H.
Murphy, C. M., and Ravner, H.: The effect of cerium on the thermal stability of polysiloxanes, 715

Naegele, W.: see Kennedy, J. P.
Nagata, N.: see Komuro, K.
Nakajima, N., and Wong, P. S. L.: The effect of flow rate on the velocity profile in a capillary for molten polyethylene, 887
Nakamura, I., and Hayashi, E.: Low molecular weight polyethylene terephthalate and fiber forming property, 851
Nakanishi, R.: see Kubota, T.
Nakata, T.: see Imoto, M.
Natta, G., Dall'Asta, G., and Motroni, G.: Coordinated polymerization of cyclobutene in the presence of the aqueous $RhCl_3$ catalytic system, 349
—, Pino, P., and Mazzanti, G.: Comment on the letter of A. P. Firsov, B. N. Kashprov, Yu. V. Kissin, and N. M. Chircov, 443
Newman, S.: see Toggenburger, R.
Noguchi, H., and Kambara, S.: New catalyst systems for the polymerization of conjugated dienes, 593
North, A. M.: see Bawn, C. E. H.
Nose, S.: Refractive indices of high polymers, 1127
O'Brien, E. L.: see Green, J.
Odian, G., and Bernstein, B. S.: Radiation crosslinking of polyisobutylene, 819
O'Driscoll, K.: Copolymerization under azeotropic conditions, 869
Ogawa, T.: see James, D. G. L.
Ohki, T.: see Matsuzaki, K.
Oikawa, E., and Kambara, S.: Polymerization of saturated nitriles with metal chlorides, 649
Okada, M.: see Iwatsuki, S.
Okamura, S.: see Takakura, K.
Olaj, O. F.: see Breitenbach, J. W.
Olf, H. G.: see Peterlin, A.
O'Neal, H. R.: see Brady, W. T.
Osawa, Z.: see Matsuzaki, K.
Oster, G.: Photochemical crosslinking of non-aqueous polymers by near ultraviolet light, 1181
Otsu, T., Aoki, S., and Imoto, M.: Graft polymers containing pendant polyether chains, 223
—, Shimizu, A., and Imoto, M.: Alternative copolymerization of butene isomers with maleic anhydride, 973
—: see Imoto, M.
Overberger, C. G., Ozaki, S., and Mukamal, H.: Polymers of vinyl isocyanate, 627
—, and Weise, J.: A polythioester by ring-opening polymerization, 329
Ozaki, S.: see Overberger, C. G.
Palmer, R. P.: see Cottam, L.
Pao, Y. H.: Clarification of some aspects of the nonlinear theory for viscoelastic flow, 437
Parker, R. B., Jr., and Mokler, B. V.: Acrylonitrile-vinylidene chloride copolymerization, 19
Pasquino, A. D., and Pilsworth, M. N., Jr.: The thermal conductivity of polystyrene, oriented and unoriented, with measurements of the glass-transition temperature, 253
Pedemonte, E., and Bianchi, U.: Dilatometric evidence of a transition in polybutadienes with various 1,4-cis contents, 1025
Penski, E. C., and Goldfarb, I. J.: The effects of "cageing" on the thermal degradation of polytetrafluoroethylene, 55
Percival, D. F.: see Hess, P. H.
Peterlin, A.: Excluded volume effect on intrinsic viscosity, 359
—, and Meinel, G.: Light scattering by polyethylene single crys-

tal suspensions, 751
—, and Olf, H. G.: NMR observations of drawn polymers. I. Angular and temperature dependence of second moment in polyethylene, 409
—, and Olf, H. G.: NMR observations of drawn polymers. III. Polyoxymethylene, 769
—: see Burow, S.
—: see Geil, P. H.
—: see Ingram, P.
Pfeifer, C. R.: see Tung, L. H.
Phibbs, M. K.: see Casey, K.
Phillips, R., and Wright, W. W.: The thermal stability of poly-2,2′-(m-phenylene)-5,5′-bibenzimidazole,47
Pilsworth, M. N., Jr.: see Pasquino, A. D.
Pino, P.: see Natta, G.
Pispisa, B.: see Liquori, A. M.
Porter, R. S.: see Goodrich, J. E.
Powers, E. J.: see Goldberg, E. P.
Powers, J., and Van Valkenburg, A.: Polymer compression: Visual observations on stressed biaxially oriented nylon 66, 533
Preston, J., and Dobinson, F.: New high temperature aromatic polyamides, 1171
Rabek, J. F., Jr.: Investigation of the effect of chloronitroso compounds on diene polymers in the presence of visible light, 577
Raju, M. R., and Merrill, E. W.: Polyacrylamide solutions used in radiation dosimetry – effect of added electrolyte, 13
Ramey, K. C., and Field, N. D.: High resolution NMR spectra of poly(propylene oxide), 461
—, Field, N. D., and Hasegawa, I.: High resolution NMR spectra of poly(vinyl methyl ether), 865
Rånby, B.: see Yoshida, H.
Rapp, N. S.: see Simha, R.
Ravner, H.: see Murphy, C. M.
Reich, L.: A rapid estimation of activation energy from thermogravimetric traces, 621
—, and Levi, D. W.: A graphical estimation of reaction order from thermogravimetric traces, 1109
—: see Stivala, S. S.
Reinhardt, H. F.: Polyadamantane, 567
Rembaum, A.: Degradation of the polyacenaphthylene-sodium complex, 117
—: see Eisenberg, A.
—: see Moacanin, J.
Rempp, P.: see Freyss, D.
Rent, N. H.: see Case, L. C.
Richards, J. R., Mancke, R. G., and Ferry, J. D.: Dynamic mechanical properties of some ethylene-propylene copolymers, 197
Ries, H. E., Jr.: see Hwa, J. C. H.
Ripa, O., and Schneider, W. C.: Apparent density of polyacrylonitrile in liquids and liquid mixtures, 471
Ritchey, W. M.: see Harwood, H. J.
Roldan, L. G. and Kaufman, H. S.: Crystallization of nylon 6 (erratum), 569
Rosenberg, H.: see Cottis, S. G.
Ross, F. L.: see Burnett, G. M.
Rossi, C., and Cuniberti, C.: Intrinsic viscosities of low poly(ethylene) oxides POEG in different solvents, 681
Rovira, E.: see Eisenberg, A.
Rowe, P. D.: see Loan, L. D.
Rubin, I. D.: Relative stabilities of polymorphs of polybutene-1 obtained from the melt, 747
Rushton, G. S.: see Bond, J.
Sacco, G. R.: see Stivala, S. S.
Salovey, R.: On the morphology of

crosslinking polymers, 833
—: see Bassett, D. C.
Saotome, K., and Miyata, S.: Polycaproamide without passing through ε-caprolactam, 491
Sasaki, K.: see Yamazaki, N.
Saunders, F. L.: Observations on spherulite structure in poly(4-methyl-1-pentene), 755
Savino, M.: see D'Alagni, M.
Sawada, H.: Thermochemistry of condensation copolymerization, 507
Schaffhauser, R.: see Tobolsky, A. V.
Schneider, B.: see Stokr, J.
Schneider, W. C.: see Ripa, O.
Schonhorn, H.: Transcrystalline growth at a polymer-metal interface, 465
—, and Sharpe, L. H.: Surface energetics, adhesion, and adhesive joints. II. Joints between epoxy adhesives and chlorotrifluoroethylene homopolymer and copolymer, 719
Schuler, N. W.: see Haas, H. C.
Scott, H., Konen, T. P., and Labes, M. M.: Unusual aspects of the cationic polymerization of N-vinylcarbazole, 689
Sears, G. W.: Growth of polymer crystals by a screw dislocation mechanism, 1117
Seiner, J. A.: Clustering tendency in multicomponent polymerization systems, 985
Settineri, W. J.: see Marchessault, R. H.
Sharpe, L. H.: see Schonhorn, H.
Sheldon, R. P.: see Cottam, L.
Shima, M., Smid, J., and Szwarc, M.: Copolymerization of butadiene, isoprene, and 2,3-dimethyl butadiene with living polystyrene. Electron-donating effect of methyl group, 735
Shimizu, A.: see Otsu, T.
Shimura, Y., Mita, I., and Kambe, H.: Viscosity-molecular weight relationship and molecular expansion of styrene-acrylonitrile copolymer in solution, 403
Shipman, J. J.: see Krimm, S.
Shuttleworth, R.: see Moore, W. R.
Sillon, B. J.: see Gaudemaris, G. P. de
Simha, R., Ingham, J. D., Rapp, N. S., and Hardy, J.: Polymer degradation III. Carbon-14 as a tracer for studies of the thermal degradation of polyurethans, 675
Smid, J.: see Shima, M.
Smith, D. A.: Thermal stability of chlorosulfonated polyethylene, 665
Sobue, H.: see Matsuzaki, K.
—: see Tabata, Y.
Solomon, O. F., Ciuta, I. Z., and Cobianu, N.: Spontaneous polymerization of N-vinylcarbazole in the presence of dilute aqueous solutions of perchloric acid, 311
Stannett, V.: see Castille, Y. P.
—: see Lando, J. B.
Starkweather, H. W., Jr.: Turbidity and structure of polytetrafluoroethylene films, 499
Statton, W. O.: see Dismore, P. F.
Stein, R. S.: see Kawai, H.
—: see Yamada, R.
—: see Yau, W.
Stevens, M. P.: Chemical resistance of polyesters containing substituted succinic acids, 561
Stille, J. K., and Williamson, J. R.: Polyquinoxalines, 209
Stivala, S. S., and Reich, L.: Polymerizations catalyzed by electron transfer initiators, 617

—, Sacco, G. R., and Reich, L.: Polymers containing azulene. I. Poly-Schiff bases, 943
Štokr, J., Schneider, B., and Vodnanský, J.: Molecular structure and vibrational spectra of D,L- and meso-2,4-pentanedioldiacetate, 783
Stoops, C. E.: see Furrow, C. L.
Strella, S.: Comments on Haley and Dole's letter on DTA, 625
Sullivan, P., and Wunderlich, B.: Polymer microscopy, 537
Suzuki, J.: see Tyuzyo, K.
Sweeting, O. J.: see Wellisch, E.
Symcox, R. O.: Polymers from butene-2, 947
Szwarc, M., and Hermans, J. J.: Molecular weight distribution in a non-terminated polymerization involving living and dormant polymers, 815
—: see Shima, M.
Tabata, Y., Kimura, H., and Sobue, H.: Radiation-induced polymerization of octamethylcyclotetrasiloxane, 23
Tadokoro, H., Yoshihara, T., Chatani, Y., and Murahashi, S.: A preliminary report of structural studies on polyethylene oxide-urea complex, 363
Takahashi, M., and Tobolsky, A. V.: Maximum relaxation times in polytetrafluoroethylene, 129
Takakura, K., Hayashi, K., and Okamura, S.: Polymerization of cyclic ethers in the presence of maleic anhydride, 861
Takigawa, N.: see Iwatsuki, S.
Tanaka, A., Hozumi, Y., Hatada, K., Endo, S., and Fujishige, R.: Isomorphism phenomena in polyaldehydes, 181
Tani, H., Aoyagi, T., and Araki, T.: Stereospecific polymerization of acetaldehyde. I. Polymerization of acetaldehyde using $AlEt_3$-alkali metal hydroxide catalytic systems, 921
—, Yasuda, H., and Araki, T.: Stereospecific polymerization of acetaldehyde. II. Polymerization of acetaldehyde with catalytic systems: $AlEt_3$-ketone-H_2O and $AlEt_3$-amide-H_2O, 933
Taylor, K., and Malkin, I.: Polymerization with atomic hydrogen, 597
Taylor, W. C., and Graham, J. P.: An improved turbidimeter for the determination of molecular weight distribution, 169
Teyssié, Ph., and Dauby, R.: Polymerization by transition metal derivatives. II. Stereospecific polymerization of butadiene by rhodium salts and complexes, 413
Tobias, R. L.: Extrapolation of molecular weight distribution data, 281
Tobolsky, A. V.: Measurement of random scission by stress relaxation, 637
—: Measurement of random scission by stress relaxation in polysulfide and other networks: Weak linkages, 823
—, Schaffhauser, R., and Böhme, R.: Stress relaxation of mono and polydisperse polystyrene, 103
—: see George, D. B.
—: see Takahashi, M.
Todani, Y.: see Komuro, K.
Toggenburger, R., and Newman, S.: The environmental stress cracking of polyethylene, 7
Tokuhara, S.: see Tyuzyo, K.
Tsuda, M.: An interpretation of the

optical sensitization of poly-(vinyl cinnamate), 1143
Tung, L. H., and Pfeifer, C. R.: Comments on Rehner's proposed method for estimating polymer molecular weight distribution without fractionation, 175
Turner, D. T.: see Burow, S.
Tyuzyo, K., Harada, Y., and Suzuki, J.: Cyclic condensation product from 4,4′-dihydroxy-diphenylpropane and o-phthalic acid, 43
—, Suzuki, J., Tokuhara, S., and Morita, H.: The effect of the organic solvent on the interfacial polycondensation of some aromatic polyesters, 213
Unishi, T.: see Hasegawa, M.
Uryu, T.: see Matsuzaki, K.
Vandenberg, E. J.: Some mechanism aspects of epoxide polymerization. Stereochemical structure of the crystalline polymers from the 2,3-epoxybutanes, 1085
Van Valkenburg, A.: See Powers, J.
Vignale, M. J.: Flow patterns in capillary rheometer reservoirs, 799
Vinogradov, G. V.: see Malkin, A. Ya.
Vodnanský, J.: see Štokr, J.
Volpe, A.: see Erickson, P. W.
Wade, T. J.: see Warfield, R. W.
Warfield, R. W., Wade, T. J., and Erickson, P. W.: Supercooled m-phenylene diamine as a hardener for epoxide resins, 173
Weise, J.: see Overberger, C. G.
Weiss, P.: see Levine, M.
Wellisch, E., Gipstein, E., and Sweeting, O. J.: Use of sodium dithionite in the synthesis of sulfones and polysulfones, 35
—, Gipstein, E., and Sweeting, O. J.: Cleavage and dimerization of sulfolane, 39
Whelan, J. M.: see Bailey, F. E., Jr.
White, E. F. T.: see Beevers, R. B.
Whitworth, C. J.: see Zutty, N. L.
Wiles, D. M., and Bywater, S.: The electronic spectra of poly(methyl methacrylate) anions, 1175
Wiley, R. H., and Jäger, P.: Kinetics of the γ-radiation initiated polymerization of ethenesulfonamide, 97
Wilkerson, J. M., III: see Kimbrough, R. D., Jr.
Williams, F.: see Bonin, M. A.
Williamson, J. R.: see Stille, J. K.
Witnauer, L. P.: see Lutz, D. A.
Wojtczak, Z.: Specific influence of strontium cations on properties of solutions of polymethacrylic acid, 661
Wong, P. S. L.: see Nakajima, N.
Wood, L. A.: Utility of the Tait equation relating volume and pressure in the study of transitions in polymers, 703
Woodbrey, J. C.: Some proton magnetic resonance results on sterochemical regulation in polypropylenes, 315
Wright, W. W.: see Dine-Hart, R. A.
—: see Phillips, R.
Wunderlich, B.: see Sullivan, P.
Yamada, R., and Stein, R. S.: Dynamic dichroism of dyed polymer films, 1131
Yamashita, Y.: see Iwatsuki, S.
Yamazaki, N., Sasaki, K., and Kambara, S.: Polymerization of vinyl chloride with n-butyl titanate-aluminum alkyls, 487
Yannas, J. B.: Highly precise density determination for polymers

in latex form, 1005
Yasuda, H.: see Tani, H.
Yau, W., and Stein, R. S.: Light-scattering from crystalline superstructure in stretched natural rubber, 231
Yoshida, H., and Rånby, B.: ESR spectra of methyl radicals trapped in polypropylene after ultraviolet irradiation, 1155
Yoshihara, T.: see Tadokoro, H.
Youngman, E. A.: see Boor, J. Jr.
Yu, H.: On the measurement of random chain scission by stress relaxation, 631
Yuguchi, S., and Iwamoto, M.: 1,3-polymerization of propylene using vanadium (IV) chloride-ferric tris(acetylacetonate) adduct and triethyl aluminium, 1035
Yuki, H., Kosei, K., Murahashi, S., and Hotta, J.: Anionic alternative copolymerization, 1121
Zimmerman, J.: Equilibria in solid phase polyamidation, 955
Zutty, N. L., and Whitworth, C. J.: Correlation of the properties of model compounds and the main chain glass transition in polymers, 709

SUBJECT INDEX, VOLUME 2

Acenaphthalene, kinetics of the anionic polymerization of, 979
Acetaldehyde, stereospecific polymerization, with $AlEt_3$–alkali metal hydroxide catalysts, 921
with $AlEt_3$–ketone–H_2O and with $AlEt_3$–amide–H_2O catalysts, 933
Acetylenes, substituted, cationic polymerization of, 263
Acrylonitrile, aldehyde peroxides as initiators for, 1165
the radiation-induced polymerization-modification of, 775
Acrylonitrile-styrene copolymer, viscosity-molecular weight relationship and molecular expansion of, 403
x-ray scattering by, 793
Acrylonitrile-vinylidene chloride, copolymerization, 19
Activation energy, from thermogravimetric traces, 621
Adhesion, relation to critical surface tension, 915
Adhesives, epoxy, and chlorotrifluoroethylene homopolymer and copolymer, joints between, 719
Alcohols, base-catalyzed reaction with propylene oxide, 417
Aldehyde peroxides, as initiators for acrylonitrile, 1165
$AlEt_3$–alkali metal hydroxide catalysts, in the stereospecific polymerization of acetaldehyde, 921
$AlEt_3$–amide–H_2O catalysts, in the stereospecific polymerization of acetaldehyde, 933
$AlEt_3$–ketone–H_2O catalysts, in the stereospecific polymerization of acetaldehyde, 933
Alkali metal hydroxide–$AlEt_3$ catalysts, in the stereospecific polymerization of acetaldehyde, 921
Alkylboron polymerization of vinyl chloride, electron donor effect on, 291
Allyl ester polymerization, termination by radical displacement, 151

Alternative copolymerization, anionic, 1121
of butene isomers with maleic anhydride, 973
Aluminum alkyl-n-butyl titanate, in polymerization of vinyl chloride, 487
Aluminum chloride, cleavage of ferrocene to give poly(cyclopentylferrocenes), 295
Aluminum isopropoxide, reduction of polymeric carbonyls by, 481
Amylose "B", sorption of water vapor by, 1101
Anion radical copolymerization, 1
Anionic alternative copolymerization, 1121
Anionic block copolymers, polydispersity of, 217
Anionic polymerization, of acenaphthalene, kinetics of, 979
of styrene, solvent participation in, 425
of 9-vinylanthracene, chain transfer in, 157
Atomic hydrogen, polymerization with, 597
Azeotropic conditions, copolymerization under, 869
Azulene, in poly-Schiff bases, 943
Back reflection correction, effect on the Mark-Houwink equation for linear polyethylene, 855
Barus effect, in polymer melts, 399
Basicity, in the cationic copolymerization of cyclic ethers, 549
Behavior, dynamic, of high polymers, 613
Bifringence-temperature curve, of poly(4-methyl-1-pentene), 897
Bleaching, by oxygen, of γ-ray induced optical absorption bands in polystyrene, 581
Block copolymers, anionic, polydispersity of, 217
Bromination, of polyhydrocarbons with N-bromosuccinimide, 193
N-Bromosuccinimide, bromination of polyhydrocarbons with, 193
Butadiene, copolymerization with living polystyrene, 735
ligand effects by palladium salts on the directed polymerization of, 1041
stereospecific polymerization by rhodium salts and complexes, 413
Butene-2, polymers from, 947
Butene isomers, alternative copolymerization with maleic anhydride, 973
n-Butyl titanate–aluminum alkyl, in polymerization of vinyl chloride, 487
"Cage effect," in thermal degradation of polytetrafluoroethylene, 55
Carbon-14, in the study of the thermal degradation of polyurethans, 675
Carbon–chlorine IR bands, of poly(vinyl chloride), 1009
Carbon tetrabromide, initiation of the polymerization of N-vinylcarbazole by, 685
Carbon tetrachloride, initiation of the polymerization of N-vinylcarbazole by, 685
Carbonyls, polymeric, reduction by aluminum isopropoxide, 481
Carborane polymers, 109
1,4-bis-(p-Carboxyphenoxy)butane, a crystallizable copolymer containing, 791
Catalysts, for polymerization of conjugated dienes, 593
Cationic copolymerization, of cyclic ethers, basicity in, 549
Cationic polymerization, by intra-

molecular hydride shift, 1159
of 4-methyl-1-pentene, 353
of substituted acetylenes, 263
of N-vinylcarbazole, 689
Cellulose, derivatives, solvation of, 89
electrochemical grafting of methyl methacrylate onto, 27
Cellulose 2.5 acetate, multiple glass transitions in, 343
Cellulose trinitrate, draining effect on viscosity and sedimentation of solutions of, 1029
Cerium, effect on the thermal stability of polysiloxanes, 715
Chain fold, length in polymer single crystals, 429
radiation grafting to, 503
Chain folding, in oriented 66-nylon fibers, 1113
Chains, in linear high polymers, theoretical length of, 585
Chain scission, random, measured by stress relaxation, 631, 637
Chain transfer, in the anionic polymerization of 9-vinylanthracene, 157
Chelates, ferric, as initiators, 1015
Chemical resistance, of polyesters containing substituted succinic acids, 561
Chlorine–carbon IR bands, of poly(vinyl chloride), 1009
3,3-bis-Chloromethylcycloxabutane, inorganic solid catalysis in the γ-ray polymerization of, 779
saturation in x-ray polymerized, 93
Chloronitroso compounds, effect on diene polymers in visible light, 577
Chlorotrifluoroethylene, homopolymer and copolymer, joints between epoxy adhesives and, 719
Cleavage, of sulfolane, 39
Clustering, in multicomponent polymerization systems, 985
Clusters, methyl, in free radical polyethylene, 1053
Compression, visual observations on stressed biaxially oriented nylon 66 under, 533
Condensation, cyclic, of 4,4′-dihydroxy-diphenypropane and ophthalic acid, 43
Condensation copolymerization, thermochemistry of, 507
Conformation, helical, of cis-1,4 poly(2-t-butyl-butadiene), 453
of isotactic polypentene-1, 1105
Conformation-sensitive IR bands, for carbon–chlorine bonds, in poly(vinyl chloride), 1009
Coordinated polymerization, of cyclobutene with aqueous $RhCl_3$, 349
Copolymers, anionic block, polydispersity of, 217
characterization of sequence distribution in, 601
Copolymerization, anionic alternative, 1121
under azeotropic conditions, 869
Cracking, environmental stress, in polyethylene, 7
Crack propagation, in a thin redrawn polyethylene film, 307
Creep, and behavior under sinusoidal strain, 1061
Critical temperatures, lower, molecular weight dependence of, 879
Crosslinking, by radiation, of polyethylene, 511, 1019
of polyisobutylene by radiation, 819
photochemical, of non-aqueous polymers by near UV, 1181
Crosslinking polymers, morphology of, 833

Crosslinking rate, with γ-radiation, temperature dependency of, 1147
trans-Crotononitrile, copolymerization with styrene, the penultimate unit effect on, 991
Crystallinity, of poly(vinyl stearate), 31
Crystallization, of nylon 6, erratum, 569
Crystallography, of xylan hydrate, 1047
Crystals, orientation rate of, measured by dynamic x-ray diffraction, 1075
Cuprene, in Reppe's cyclooctatetraene synthesis, 803
Cure, in unsaturated polyester–styrene copolymers, 133
Cyclobutene, coordinated polymerization with aqueous $RhCl_3$, 349
Cyclocopolymerization, transannular, of 1,5-cyclooctadiene and maleic anhydride, 469
Cyclohydrochlorination, of 3,4-polyisoprene, 523
1,5-Cyclooctadiene, transannular cyclocopolymerization with maleic anhydride, 469
Cyclooctatetraene, cuprene in Reppe's synthesis of, 803
Decaborane, polymers from, 987
Degradation–termination reactions, 457
Density, apparent, of polyacrylonitrile in liquids and liquid mixtures, 471
Density determination, for latex, 1005
Dichroism, dynamic, of dyed polymer films, 1131
Diene polymers, effect of chloronitroso compounds on, in visible light, 577
Dienes, conjugated, catalysts for polymerization of, 593
Diffraction, dynamic x-ray, in measuring the orientation rate of crystals, 1075
electron, of deformed polyethylene spherulites, 739
Differential thermal analysis, and the influence of thermal history on fusion curves, 381
of polymers in glass transition, 285
comments on, 625
Dihydropyran, 1:1 copolymer with maleic anhydride, 85
4,4′-Dihydroxydiphenylpropane, and o-phthalic acid, cyclic condensation of, 43
Dilatometric evidence for transitions, in polybutadienes with various 1,4-cis contents, 1025
Dimerization, of sulfolane, 39
2,3-Dimethyl butadiene, copolymerization with living polystyrene, 735
1,4-Diphenoxybutane-p,p′-dicarboxylate units, a crystallizable copolymer containing, 789
Directed polymerization, of butadiene by palladium salts, ligand effects on, 1041
Dosimetry, radiation, effect of added electrolyte on polyacrylamide, 13
Draining effect, in viscosity and sedimentation of cellulose trinitrate solutions, 1029
Dye-sensitized solid state polymerization, by visible light, 891
Elastomer-metal halide mixtures, pyrolysis of, 873
Electrochemical grafting, of methyl methacrylate onto cellulose, 27
Electrolyte, added, effect on polyacrylamide in radiation dosi-

metry studies, 13
Electron donor effect, in alkylboron polymerization of vinyl chloride, 291
Electronic spectra, of poly(methyl methacrylate) anions, 1175
Electron transfer initiators, polymerizations catalyzed by, 617
Electron transfer polymers, photosensitization of, 545
Emulsion polymerization, of vinyl acetate, 257
Epoxide polymerization, mechanistic aspects of, 1085
Epoxide resins, supercooled m-phenylene diamine as a hardener for, 173
Epoxy adhesives, and chlorotrifluoroethylene homopolymer and copolymer, joints between, 719
2,3-Epoxybutanes, stereochemical structure of crystalline polymers of, 1085
Equilibrium, in flocculated systems, 247
in solid phase polyamidation, 955
ESR spectra, of methyl radicals trapped in polypropylene after UV irradiation, 1155
of transient radicals of methacrylderivatives, 529
Ethenesulfonamide, γ-ray polymerized, kinetics of, 97
Ethers, cyclic, basicity in the cationic copolymerization of, 549
maleic anhydride catalyzed polymerization of, 861
Ethylene, γ-ray polymerization of, 765
Ethylene glycol, a crystallizable copolymer containing, 791
Ethylene–propylene copolymers, dynamic mechanical properties of, 197
Ethylene–propylene rubber, peroxide cured, effect of sulfur in, 59
Excluded volume effect, on intrinsic viscosity, 359
Extrudate swelling, of polypropylene, 841
Ferric chelates, as initiators, 1015
Ferric tris(acetonylacetonate), in the 1,3-polymerization of propylene, 1035
Ferrocene, cleavage by aluminum chloride to give poly(cyclopentylferrocenes), 295
Fiber, oriented 66-nylon, chain folding in, 1113
Fiber forming property, of low molecular weight poly(ethylene terephthalate), 851
Film, dyed polymer, dynamic dichroism of, 1131
polytetrafluoroethylene, turbidity and structure of, 499
solvent-crystallized poly(ethylene terephthalate), void formation in, 761
Flocculated systems, equilibrium in, 247
Flow, of polystyrene melt in the nonsteady state, 643
viscoelastic, nonlinear theory for, 437
Flow patterns, in capillary rheometer reservoirs, 799
Flow rate, effect on the velocity profile of polyethylene, 887
Folding, chain, in oriented 66-nylon fibers, 1113
Fold period invariance, of single crystals, 965
Formaldehyde, radiation copolymerization with styrene, 1097
Fusion curves, differential thermal analysis and influence of ther-

mal history on, 381
Gel systems, homopolymer, thermally reversible, 1095
Glass temperature, as a function of molecular weight, 379
Glass transition, main chain, correlation of properties with model compounds, 709
multiple, in cellulose 2.5 acetate, 343
polymers in, differential thermal analysis of, 285
comments on, 625
Glass transition temperature, of polystyrene, 253
rapid determination of, 269
Glyoxal, polymerization of, 647
Grafting, electrochemical, of methyl methacrylate onto cellulose, 27
radiation, of styrene onto polyethylene, 939
to chain folds, 503
Graft polymers, with pendant polyether chains, 223
Graphical estimation, of reaction order, from thermogravimetric traces, 1109
Growth, of polymer crystals by a screw dislocation mechanism, 1117
transcrystalline, at a polymer–metal interface, 465
Head-to-head poly(vinyl chloride), 447
High pressure copolymerization, of styrene with methyl methacrylate, 553
Homopolymer gel systems, thermally reversible, 1095
Huggins constant, for poly(vinyl chloride), 883
Hydride shift, intramolecular, in cationic polymerization, 1159
Hydrochlorination, of 1,4-polyisoprene, 723
Hydrogen, atomic, polymerization with, 597
Infrared, conformation-sensitive carbon–chlorine bands, of poly(vinyl chloride), 1009
Infrared determination, of unsaturation in polyethylene, 339
Infrared doublet, at 720/730 cm.$^{-1}$, of polyethylene, 75
Initiation, of N-vinylcarbazole polymerization by carbon tetrachloride and carbon tetrabromide, 685
Initiator, electron transfer, polymerizations catalyzed by, 617
ferric chelates as, 1015
for acrylonitrile, aldehyde peroxides as, 1165
solid metal peroxide as, for stereospecific polymerization, 227
Initiator–promoter systems, in cure, 133
Inorganic solid catalysis, in the γ-ray polymerization of 3,3-bischloromethylcycloxabutane, 779
Interface, polymer–metal, transcrystalline growth at, 465
Ion exchange resins, macroreticular, pore structure of, 587; erratum, 839
Ionic mechanism, in radiation polymerized isobutyl vinyl ether, 143
γ-Irradiation, dynamic modulus properties of some polymers during, 999
IR spectrum, of polypropylene, 847
Isobutyl vinyl ether, ionic mechanism in radiation polymerized, 143
Isomerization polymerization, of branched α-olefins, 827
Isomorphism phenomena, in polyaldehydes, 181

Isoprene, copolymerization with living polystyrene, 735
Kinetics, of γ-ray polymerized ethenesulfonamide, 97
of the anionic polymerization of acenaphthalene, 979
Latex, density determination for, 1005
Length, theoretical, of chains in linear high polymers, 585
Ligand effects, on the directed polymerization of butadiene by palladium salts, 1041
Light scattering, by polyethylene single crystal suspensions, 751
in stretched crystalline rubbers, 231
Maleic anhydride, alternative copolymerization with butene isomers, 973
1:1 copolymer with dihydropyran, 85
polymerization of cyclic ethers by, 861
transannular cyclocopolymerization with 1,5-cyclooctadiene, 469
Mark-Houwink equation, effect of back reflection correction for linear polyethylene, 855
Melts, polymer, Barus effect in, 399
Metal chlorides, polymerization of saturated nitriles with, 649
Metal halide–elastomer mixtures, pyrolysis of, 873
Methacrylderivatives, ESR spectra of transient radicals of, 529
Methyl clusters, in free radical polyethylene, 1053
Methyl methacrylate, electrochemical grafting onto cellulose, 27
high pressure copolymerization with styrene, 553
4-Methyl-1-pentene, cationic polymerization of, 353
Methyl radicals, trapped in polypropylene after UV irradiation, ESR spectra of, 1155
Microscopy, electron, of deformed polyethylene spherulites, 739
of polymers, 537
Moduli, elastic, of the polyethylene crystal, 395
Modulus properties, dynamic, of some polymers during γ-irradiation, 999
Molecular expansion, of styrene–acrylonitrile copolymer, 403
Molecular fractionation, during single crystal growth of polyethylene, 333
Molecular motion, effect on birefringence–temperature curve of poly(4-methyl-1-pentene), 897
Molecular structure, of D,L- and meso-2,4-pentanedioldiacetate, 783
Molecular weight dependence, of lower critical temperatures in polymer solutions, 879
Molecular weight distribution, extrapolation of data, 281
in a system of living and dormant polymers free of termination, 815
Rehner's method for estimating, 175
turbidimeter for, 169
Molecular weight, glass temperature as a function of, 379
viscosity average, 441
Molecular weight–viscosity data, analysis of, 809
Molecular weight–viscosity relationship, of polymers at high rates of shear, 671
of styrene–acrylonitrile copolymer, 403
Monolayers, of poly(methyl meth-

acrylate) derived from poly-(methacrylic anhydride), 389
Montmorillonite, monomers intercalated in, 475
Morphology, of crosslinking polymers, 833
Networks, polystyrene, properties of, 139
Nitriles, saturated, polymerization with metal chlorides, 649
β-Nitrostyrene, copolymerization with styrene, 81
NMR spectra, of drawn polyethylene, 409
of drawn polyoxymethylene, 769
of poly(propylene oxide), 461
of poly(vinyl chloride), 421
of poly(vinyl methyl ether), 865
polyacetaldehyde structure by, 123
Non-equilibrium effects, in the stress-strain behavior of rubbers, 1089
Nonsteady state, flow of polystyrene melt in, 643
Nylon 6, crystallization of, erratum, 569
Nylon 66, oriented fibers, chain folding in, 1113
stressed biaxially oriented, visual observations on compression in, 533
viscosity in $CaCl_2$–CH_3OH, 29
Octamethylcyclotetrasiloxane, radiation polymerization of, 23
Olefins, Ziegler polymerization of, 265
α-Olefins, branched, isomerization polymerization of, 827
polymerization on the metal in the organometallic compound, a comment on, 443
Optical sensitization, of poly(vinyl cinnamate), 1143
Organized polymerization, 475
Orientation rate of crystals, measurement by dynamic x-ray diffraction, 1075
Oxygen, bleaching of γ-ray induced optical absorption bands in polystyrene by, 581
p-γ-Oxypropoxy benzoate units, a crystallizable copolymer containing, 789
Palladium salts, ligand effects of, on the directed polymerization of butadiene, 1041
D,L-2,4-Pentanedioldiacetate, molecular structure and vibrational spectra of, 783
meso-2,4-Pentanedioldiacetate, molecular structure and vibrational spectra of, 783
Penultimate unit effect, in the copolymerization of trans-crotononitrile with styrene, 991
Perchloric acid, dilute, polymerization of N-vinylcarbazole in, 311
Permanent set, 63
Peroxides, of aldehydes, as initiators for acrylonitrile, 1165
solid metal, as initiators of stereospecific polymerization, 227
3-Phenyl-1-butene, polymerization of, 1159
m-Phenylene diamine, supercooled, as a hardener for epoxide resins, 173
Photochemical crosslinking, of non-aqueous polymers by near UV, 1181
Photosensitization, of electron transfer polymers, 545
o-Phthalic acid, and 4,4′-dihydroxydiphenylpropane, cyclic condensation of, 43
Plastic, porous, 877
Polyacenaphthalene–sodium complex, degradation of, 117

Polyacetaldehyde, structure from high resolution NMR, 123
Polyacetylene, thermal properties of, 803
Polyacrylamide, in radiation dosimetry, effect of added electrolyte on, 13
Polyacrylonitrile, apparent density in liquids and liquid mixtures of, 471
stereoregularity of, 1139
Polyadamantane, 567
Polyaldehydes, isomorphism phenomena in, 181
Polyamidation, solid phase, equilibria in, 955
Polyamides, aromatic, 369, 1171
Polybenzoxazoles, fully aromatic, preparation of, 655
Polybutadienes, with various 1,4-cis contents, dilatometric evidence for transitions in, 1025
Polybutene-1, isotactic, transformations in, 519
polymorphism in, 903
stabilities of polymorphs of, 747
cis-1,4 Poly(2-t-butyl-butadiene), helical conformation of, 453
Polycaproamide, without passing through ϵ-caprolactam, 491
Polycarbonate-siloxy copolymers and blends, 835
Polycondensation, interfacial, of aromatic polyesters, solvent effect on, 213
Poly(cyclopentylferrocenes), by aluminum chloride cleavage of ferrocenes, 295
Polydispersity, of anionic block copolymers, 217
Polyesters, aromatic, solvent effect on the interfacial polycondensation of, 213
containing substituted succinic acids, chemical resistance of, 561
Polyester-styrene copolymers, unsaturated, cure in, 133
Polyether chains, pendant, in graft polymers, 223
Polyethylene, chlorosulfonated, thermal stability of, 665
crystal vibrations, specific heat, and elastic moduli of, 395
double orientation effect on the 720/730 cm.$^{-1}$ IR doublet, 75
drawn, NMR studies of, 409
effect of flow rate on the velocity profile of, 887
environmental stress cracking of, 7
free radical, methyl clusters in, 1053
IR determination of unsaturation in, 339
γ-irradiated, transvinylene formation in, 951
linear, effect of back reflection correction on the Mark-Houwink equation for, 855
low density, refractive index increment, 187
molecular fractionation during single crystal growth of, 333
plastic crack propagation in a thin redrawn film of, 307
radiation crosslinking of, 511, 1019
radiation grafting of styrene onto, 939
Polyethylene single crystal suspensions, light scattering by, 751
Polyethylene spherulites, electron diffraction and microscopy of, 739
Poly(ethylene oxides), viscosity in various solvents, 681
Poly(ethylene oxide)-urea complex, structural studies on, 363
Poly(ethylene terephthalate), low molecular weight, fiber forming property of, 851

tritium exchange studies on, 1069
void formation in solvent-crystallized films of, 761
Polyheterocyclization, polyquinoxalines by, 203
Polyhydrocarbons, bromination with N-bromosuccinimide, 193
Polyisobutylene, radiation cross-linking of, 819
1,4-Polyisoprene, hydrochlorination of, 723
3,4-Polyisoprene, cyclohydrochlorination of, 523
Polymer crystal growth, by a screw dislocation mechanism, 1117
Polymerization-modification, radiation-induced, of acrylonitrile, 775
Polymer-metal interface, transcrystalline growth at, 465
Polymer single crystals, chain fold length in, 429
Poly(methyl acrylate), stereoregularity of, 1139
thermal degradation of, 693
Poly(methacrylic acid), effect of strontium cations on solutions of, 661
Poly(methacrylic anhydride), monolayers of poly(methyl methacrylate) derived from, 389
Poly(methyl methacrylate), anions, electronic spectra of, 1175
isotactic and syndiotactic, a comparison of the far ultraviolet spectra of, 925
monolayers derived from poly(methacrylic anhydride), 389
Poly(4-methyl-1-pentene), effect of molecular motion on the birefringence-temperature curve of, 897
spherulite structure in, 755
Polymorphism, in poly-1-butene, 903
Polymorphs, of polybutene-1, stabilities of, 747
Polyoxadiazole, linear, 237
Polyoxymethylene, drawn, NMR spectra of, 769
Polypentene-1, isotactic, conformation of, 1105
Poly 2,2′-(m-phenylene)-5,5′-bibenzimidazole, thermal stability of, 47
Polypropylene, after UV irradiation, ESR spectra of methyl radicals trapped in, 1155
density independent relaxations in, 495
IR spectra and chemical structure of, 847
molten, extrudate swelling from an extrusion rheometer, 841
stereochemical regulation in, PMR studies on, 315
thermal degradation of, analysis with a thermal balance, 845
time-temperature superposition for, 279
Poly(propylene oxide), high resolution NMR spectra of, 461
Polyquinoxalines, 209
by polyheterocyclization, 203
Poly-Schiff bases, azulene containing, 943
Polysiloxanes, effect of cerium on the thermal stability of, 715
Polystyrene, living, copolymerization with butadiene, isoprene, and 2,3-dimethyl butadiene, 735
melt, flow in the nonsteady state, 643
mono and polydisperse, stress relaxation in, 103
networks from oriented chains, properties of, 139
oxygen bleaching of γ-ray induced optical absorption bands in, 581

rubber modified, post extrusion swelling in, 909
solutions, surface tension of, 51
thermal conductivity of, and glass transition temperature, 253
Polysulfide, measurement of random scission by stress relaxation in, 823
Polysulfones, sodium dithionite in the synthesis of, 35
Polythiomethylene, by radiation polymerization of trithiane, 375, 1057
Polythioester, by ring opening polymerization, 329
Polytetrafluoroethylene, films of turbidity and structure of, 499
maximum relaxation times in, 129
thermal degradation of, and "cage effect", 55
Polyureas, silylsubstituted, 1079
Polyurethans, thermal degradation of, using carbon-14, 675
Poly-9-vinylanthracene, anionic, structure of, 163
Poly(vinyl chloride), head-to-head, 447
Huggins constant for, 883
interpretation of NMR spectrum of, 421
IR carbon-chlorine bands of, 1009
Poly(vinyl cinnamate), optical sensitization of, 1143
Poly-4-vinylcyclohexene-1, crystalline, 301
Poly(vinyl methyl ether), high resolution NMR spectra of, 865
Poly(vinyl stearate), crystallinity of, 31
Poly-p-xylylidene, 697
Pore structure, of macroreticular ion exchange resins, 587; erratum, 839
Porous plastic, 877
Promoter-initiator systems, in curing, 133
Propylene, 1,3-polymerization of, using vanadium (IV) chloride-ferric tris(acetonylacetonate) adduct and triethyl aluminum, 1035
stereospecific polymerization without metal alkyls, 265
Propylene-ethylene copolymers, dynamic mechanical properties of, 197
Propylene-ethylene rubber, peroxide cured, effect of sulfur in, 59
Propylene oxide, base-catalyzed reaction with alcohols, 417
PMR, studies on stereochemical regulation in polypropylenes, 315
Pyrolysis, of elastomer-metal halide mixtures, 873
order by thermogravimetric cycling experiments, 115
Radiation copolymerization, of formaldehyde and styrene, 1097
Radiation crosslinking, of polyethylene, 511, 1019
of polyisobutylene, 819
γ-Radiation crosslinking, rate, temperature dependency of, 1147
Radiation dosimetry, polyacrylamide in, effect of added electrolyte, 13
Radiation grafting, of styrene onto polyethylene, 939
to chain folds, 503
Radiation-induced polymerization-modification, of acrylonitrile, 775
Radiation polymerization, of isobutyl vinyl ether, ionic mechanism in, 143
of octamethylcyclotetrasiloxane, 23

of trithiane to polythiomethylene, 375, 1057
Radical anion copolymerization, 1
Radical displacement, in allyl ester polymerization, termination by, 151
Radicals, transient, ESR spectra of, for methacrylderivatives, 529
γ-Ray induced optical absorption bands, in polystyrene, oxygen bleaching of, 581
Rayons, viscose, tensile properties of, 1067
γ-Ray polymerization, of 3,3-bis-chloromethylcycloxabutane, inorganic solid catalysis in, 779
saturation in, 93
of ethylene, 765
γ-Ray polymerized ethenesulfonamide, kinetics of, 97
Reaction order, graphical estimation from thermogravimetric traces, 1109
Recovery, and behavior under sinusoidal strain, 1061
Reduction, of polymeric carbonyls, by aluminum isopropoxide, 481
Refractive index increment, of low density polyethylene, 187
Refractive indices, of high polymers, 1127
Rehner's method, for estimating molecular weight distribution, 175
Relaxations, density-independent, in polypropylene, 495
of stress, in the measurement of random chain scission, 631, 637, 823
of mono and polydisperse polystyrene, 103
Relaxation times, maximum, in polytetrafluoroethylene, 129
Reppe's cyclooctatetraene synthesis, cuprene in, 803
Resins, macroreticular ion exchange, pore structure of, 587; erratum, 839
Rheometer, capillary, flow patterns in reservoirs of, 799
extrusion, swelling of polypropylene from, 841
$RhCl_3$, aqueous, coordinated polymerization of cyclobutene with, 349
Rhodium salts and complexes, stereospecific polymerization of butadiene by, 413
Ring-opening polymerization, a polythioester by, 329
Rubber, stretched crystalline, light scattering in, 231
Rubber elasticity theory, explanation of deviations from, 1089
Saturation, in γ-ray polymerized 3,3-bis-chloromethylcycloxabutane, 93
Scission, random chain, measured by stress relaxation, 631, 637, 823
Screw dislocation mechanism, polymer crystal growth by, 1117
Sedimentation, of cellulose trinitrate solutions, draining effect on, 1029
Sensitization, optical, of poly(vinyl cinnamate), 1143
Sequence distribution in copolymers, characterization of, 601
Shear, molecular weight-viscosity relationships of polymers at high rates of, 671
Siloxy-polycarbonate copolymers and blends, 835
Silylsubstituted polyureas, 1079
Single crystal, fold period invariance of, 965
Single crystal growth, of polyethylene, molecular fractionation dur-

ing, 333
Single crystal suspensions, polyethylene, light scattering by, 751
Sodium, in styrene polymerization, 557
Sodium dithionite, in the synthesis of sulfones and polysulfones, 35
Sodium-polyacenaphthalene complex, degradation of, 117
Solid state polymerization, dye-sensitized, by visible light, 891
Solutions, polymer, thermodynamics of, 541
Solvation, of cellulose derivatives, 89
Solvent effect, on the interfacial polycondensation of aromatic polyesters, 213
Solvent participation, in anionic polymerization of styrene, 425
Sorption, of water vapor by amylose "B", 1101
Specific heat, of the polyethylene crystal, 395
Spherulites, polyethylene, electron diffraction and microscopy of, 739
Spherulite structure, in poly(4-methyl-1-pentene), 755
Stereochemical regulation, in polypropylenes, PMR studies on, 315
Stereochemical structure, of crystalline 2,3-polyepoxybutanes, 1085
Stereoregularity, of poly(methyl acrylate) and polyacrylonitrile, 1139
Stereospecific polymerization, of acetaldehyde, 921, 933
of butadiene by rhodium salts and complexes, 413
of propylene without metal alkyls, 265
of vinyl monomers with transition metal oxide catalysts, 241
solid metal peroxides as radical initiators of, 227
Strain, sinusoidal, creep and recovery in behavior under, 1061
Stress, and viscosity of polymer solutions, 67
Stress cracking, environmental, in polyethylene, 7
Stress relaxation, in the measurement of random chain scission, 631, 637, 823
of mono and polydisperse polystyrene, 103
Stress-strain behavior of rubbers, non-equilibrium effects in, 1089
Strontium cations, effect on solutions of polymethacrylic acid, 661
Styrene, copolymerization, with β-nitrostyrene, 81
with trans-crotononitrile, the penultimate unit effect on, 991
with methyl methacrylate, 553
Styrene polymerization, by sodium, 557
Styrene radiation copolymerization, with formaldehyde, 1097
Styrene radiation grafting, onto polyethylene, 939
Styrene solvent participation, in the anionic polymerization of, 425
Styrene-acrylonitrile copolymer, viscosity-molecular weight relationship and molecular expansion of, 403
x-ray scattering by, 793
Styrene-polyester copolymers, unsaturated, cure in, 133
Succinic acids, substituted, chemical resistance of polyesters

containing, 561
Sulfolane, cleavage and dimerization of, 39
Sulfones, sodium dithionite in the synthesis of, 35
Sulfur, in peroxide cured ethylene-propylene rubber, 59
Surface tension, critical, relation to adhesion, 915
of polystyrene solutions, 51
Swelling, of extruded polypropylene, 841
post extrusion, of rubber modified polystyrenes, 909
Tait equation, in the study of transitions in polymers, 703
Temperature-birefringence curve, of poly(4-methyl-1-pentene), 897
Temperature dependency, of γ-radiation crosslinking rate, 1147
Tensile properties, of viscose rayons, 1067
Terephthalic acid, a crystallizable copolymer containing, 791
Termination, by radical displacement, in allyl ester polymerization, 151
Termination-degradation reactions, 457
Tetrahydronaphthalene, refractive index increment of low density polyethylene in, 187
Thermal balance, analysis of thermal degradation of polypropylene with, 845
Thermal conductivity, of polystyrene, 253
Thermal degradation, of poly(methyl acrylate), 693
of polypropylene, analysis with a thermal balance, 845
of polytetrafluoroethylene, "cage effect" on, 55
of polyurethans, using carbon-14, 675
Thermal history, and differential thermal analysis, influence on fusion curves, 381
Thermal properties, of poly(acetylene), 803
Thermally reversible systems, of homopolymer gels, 1095
Thermal stability, of chlorosulfonated polyethylene, 665
of poly 2,2′-(m-phenylene)-5,5′-bibenzimidazole, 47
of polysiloxanes, effect of cerium on, 715
Thermochemistry, of condensation copolymerization, 507
Thermodynamics, of polymer solutions, 541
Thermogravimetric cycling, order of polymer pyrolysis by, 115
Thermogravimetric traces, activation energy from, 621
graphical estimation of reaction order from, 1109
Time-temperature superposition, for polypropylene, 279
α-$TiCl_3$–$Me(C_2H_5)_n$, stereospecific action, a comment on, 443
Transannular cyclocopolymerization, of 1,5-cyclooctadiene and maleic anhydride, 469
Transformations, in isotactic polybutene-1, 519
Transition, in polybutadienes with various 1,4-cis contents, dilatometric evidence for, 1025
Transition metal oxide catalysts, stereospecific polymerization of vinyl monomers on, 241
Transitions of polymers, use of the Tait equation in the study of, 703
Transvinylene formation, in γ-irradiated polyethylene, 951
Triethyl aluminum, in the 1,3-polymerization of propylene, 1035

Trithiane, radiation polymerization to polythiomethylene, 375, 1057
Tritium exchange studies, on poly(ethylene terephthalate), 1069
Turbidimeter, for molecular weight distribution, 169
Turbidity, and structure of polytetrafluoroethylene films, 499
Twinning, repeated, a possible case of, 71
Ultraviolet light, near, in photochemical crosslinking of nonaqueous polymers, 1181
Ultraviolet spectra, far, a comparison for isotactic and syndiotactic polymethyl methacrylate, 925
Unsaturation, in polyethylene, infrared determination of, 339
Urea-poly(ethylene oxide) complex, structural studies on, 363
Vanadium (IV) chloride, in the 1,3-polymerization of propylene, 1035
Velocity profile, of polyethylene, effect of flow rate on, 887
Vibration, crystal, of the polyethylene crystal, 395
Vibrational spectra, of D,L- and meso-2,4-pentanedioldiacetate, 783
Vinyl acetate, emulsion of polymerization of, 257
9-Vinylanthracene, chain transfer in the anionic polymerization of, 157
N-Vinylcarbazole, cationic polymerization of, 689
initiation of polymerization of, by carbon tetrachloride and carbon tetrabromide, 685
polymerization in perchloric acid, 311
Vinyl chloride, alkylboron polymerization of, electron donor effect in, 291
polymerization with n-butyl titanate-aluminum alkyls, 487
Vinylidene chloride-acrylonitrile, copolymerization, 19
Vinyl isocyanate, polymers of, 627
Vinyl monomers, stereospecific polymerization with transition metal oxide catalysts, 241
Viscoelastic flow, nonlinear theory for, 437
Viscoelasticity, nonlinear rubberlike, 959
Viscoelastic properties, of plastics, 609
Viscometer, high temperature, 177
Viscosity, intrinsic, excluded volume effect on, 359
of cellulose trinitrate solutions, draining effect on, 1029
of nylon 66 in $CaCl_2$–CH_3OH, 29
of poly(ethylene oxides) in various solvents, 681
of polymer solutions with increasing shear stress, 67
Viscosity average molecular weight, 441
Viscosity-molecular weight data, analysis of, 809
Viscosity-molecular weight relationship, of polymers at high rates of shear, 671
of styrene-acrylonitrile copolymer, 403
Void formation, in solvent-crystallized poly(ethylene terephthalate) film, 761
X-ray diffraction, dynamic, in measuring the orientation rate of crystals, 1075
X-ray scattering, by acrylonitrile + styrene copolymers, 793
Xylan hydrate, crystallography of, 1047
Ziegler polymerization, of olefins, 265

Journal of Polymer Science Part B

Polymer Letters

Volume 2, 1964

Editorial Board: R. M. Fuoss · J. J. Hermans · H. Mark
H. W. Melville · C. G. Overberger · G. Smets

INTERSCIENCE PUBLISHERS a division of John Wiley & Sons, Inc.

Copyright © 1964 by John Wiley & Sons, Inc.

CONTENTS

Vol. 2, Issue Nos. 1–12

Journal of Polymer Science
Part B: Polymer Letters

ISSUE NO. 1, JANUARY

DAVID E. GEORGE and ARTHUR V. TOBOLSKY: Radical Anion Copolymerization 1

R. TOGGENBURGER and S. NEWMAN: The Environmental Stress Cracking of Polyethylene 7

M. R. RAJU and E. W. MERRILL: Polyacrylamide Solutions Used in Radiation Dosimetry—Effect of Added Electrolyte 13

R. B. PARKER, JR., and B. V. MOKLER: Acrylonitrile–Vinylidene Chloride Copolymerization 19

Y. TABATA, H. KIMURA, and H. SOBUE: Radiation-Induced Polymerization of Octamethylcyclotetrasiloxane 23

JOSEPH A. EPSTEIN and AKIVA BAR-NUN: Electrochemical Grafting of Methyl Methacrylate onto Cellulose 27

GLADYS HARGREAVES: Viscosity Measurements of Dilute Solutions of Nylon 66 in $CaCl_2$–CH_3OH Solvent 29

D. A. LUTZ and L. P. WITNAUER: Crystallinity of Poly(vinyl stearate) 31

ERIC WELLISCH, EDWARD GIPSTEIN, and ORVILLE J. SWEETING: Use of Sodium Dithionite in the Synthesis of Sulfones and Polysulfones 35

ERIC WELLISCH, EDWARD GIPSTEIN, and ORVILLE J. SWEETING: Cleavage and Dimerization of Sulfolane 39

K. TYUZYO, Y. HARADA, and J. SUZUKI: Cyclic Condensation Product from 4,4′-Dihydroxy-Diphenylpropane and *o*-Phthalic Acid 43

R. PHILLIPS and W. W. WRIGHT: The Thermal Stability of Poly-2,2′-(*m*-phenylene)-5,5′-bibenzimidazole 47

E. FERRONI and G. GABRIELLI: Surface Tension of Polystyrene Solutions 51

ELWIN C. PENSKI and IVAN J. GOLDFARB: The Effects of "Caging" on the Thermal Degradation of Polytetrafluoroethylene 55

L. D. LOAN: The Role of Sulfur in Peroxide Cured Ethylene–Propylene Rubber 59

L. D. Loan and P. D. Rowe: An Anomaly in the Measurement of Permanent Set 63

Mrs. S. Burow, A. Peterlin, and D. T. Turner: Increasing Viscosity of Polymer Solutions with Increasing Shear Stress 67

P. H. Geil, H. Kiho, and A. Peterlin: Polymer Deformation. V. A Possible Case of Repeated Twinning 71

J. P. Luongo: Double Orientation Effect on the Polyethylene 720/730 cm.$^{-1}$ Infrared Doublet 75

Moshe Kreisel, Uri Garbatski, and David H. Kohn: Copolymerization of Styrene. II. The Reaction with β-Nitrostyrene .. 81

Raymond D. Kimbrough, Jr., Wm. Patrick Dickson, and John M. Wilkerson, III: The 1:1 Copolymer of Maleic Anhydride and Dihydropyran 85

W. R. Moore and R. Shuttleworth: Solvation of Cellulose Derivatives 89

Tsutomu Kagiya, Masatsugu Izu, and Kenichi Fukui: A Remark on the Cause of Saturation in γ-Ray Irradiation Polymerization of 3,3-Bis-chloromethylcycloxabutane 93

Richard H. Wiley and Peter Jager: Kinetics of the γ-Radiation Initiated Polymerization of Ethenesulfonamide 97

A. V. Tobolsky, R. Schaffhauser, and R. Böhme: Stress Relaxation of Mono and Polydisperse Polystyrene 103

Joseph Green, Nathan Mayes, Anatole P. Kotloby, Marvin Fein, Eugene L. O'Brien, and Murray S. Cohen: Carborane Polymers 109

Hugh C. Anderson: Order of Polymer Pyrolysis by Thermogravimetric Cycling Experiments 115

A. Rembaum: Degradation of the Polyacenaphthylene–Sodium Complex 117

Johannes Brandrup and Murray Goodman: The Investigation of Polyacetaldehyde Structure by High Resolution Nuclear Magnetic Resonance 123

M. Takahashi and A. V. Tobolsky: Maximum Relaxation Times in Polytetrafluoroethylene 129

Patrick H. Hess, Douglas F. Percival, and Roy R. Miron: Ambient Temperature Cure in Unsaturated Polyester–Styrene Copolymerizations. Relative Effectiveness of Initiator–Promoter Systems 133

John C. Halpin and Leo Mandelkern: Some Properties of Polystyrene Networks Formed from Oriented Chains 139

MICHAEL A. BONIN, MARY LOUISE CALVERT, W. LAMAR MILLER, and FFRANCON WILLIAMS: Evidence for an Ionic Mechanism in the Radiation-Induced Polymerization of Isobutyl Vinyl Ether.... 143

NORMAN G. GAYLORD, MATHEW KATZ, and HERMAN F. MARK: Radical Displacement as a Termination Reaction in Allyl Ester Polymerization..... 151

ISSUE NO. 2, FEBRUARY

A. EISENBERG and A. REMBAUM: The Occurrence of Chain Transfer in the Anionic Polymerization of 9-Vinylanthracene..... 157

R. H. MICHEL and WILLIAM P. BAKER: The Structure of Anionically Prepared Poly-9-vinylanthracene..... 163

W. C. TAYLOR and J. P. GRAHAM: An Improved Turbidimeter for the Determination of Molecular Weight Distribution..... 169

R. W. WARFIELD, T. J. WADE, and P. W. ERICKSON: Supercooled *m*-Phenylene Diamine as a Hardener for Epoxide Resins..... 173

L. H. TUNG and C. R. PFEIFER: Comments on Rehner's Proposed Method for Estimating Polymer Molecular Weight Distribution without Fractionation..... 175

R. DEDEURWAERDER: A Viscometer for the Study of Polymers at High Temperatures..... 177

ATSUSHI TANAKA, YUKIO HOZUMI, KOICHI HATADA, SHIGETAKA ENDO, and RYOJI FUJISHIGE: Isomorphism Phenomena in Polyaldehydes..... 181

E. E. DROTT and R. A. MENDELSON: Refractive Index Increment (dn/dc) of Low Density Polyethylene in Tetrahydronaphthalene 187

VERNON L. BELL: Bromination of Polyhydrocarbons with *N*-Bromosuccinimide..... 193

JOHN R. RICHARDS, RALPH G. MANCKE, and JOHN D. FERRY: Dynamic Mechanical Properties of Some Ethylene–Propylene Copolymers..... 197

G. DEGAUDEMARIS and B. SILLION: New Polymers Obtained by Polyheterocyclization: Polyquinoxalines..... 203

J. K. STILLE and J. R. WILLIAMSON: Polyquinoxalines..... 209

K. TYUZYO, J. SUZUKI, S. TOKUHARA, and H. MORITA: The Effect of the Organic Solvent on the Interfacial Polycondensation of Some Aromatic Polyesters..... 213

D. FREYSS, P. REMPP, and H. BENOIT: Polydispersity of Anionically Prepared Block Copolymers..... 217

TAKAYUKI OTSU, SHUZO AOKI, and MINORU IMOTO: Graft Polymers Containing Pendant Polyether Chains 223

MINORU IMOTO, TAKAUKI OTSU, TADASHI NAKATA, and YASUO KINOSHITA: Solid Metal Peroxides as Radical Initiator of Stereospecific Polymerization 227

WALLACE WU and RICHARD S. STEIN: Light Scattering from Crystalline Superstructure in Stretched Natural Rubber 231

MASAKI HASEGAWA and TERUNOBU UNISHI: A Linear Polyoxadiazole 237

D. BASAGNI, A. M. LIQUORI, and B. PISPISA: Stereospecific Polymerization of Vinyl Monomers on Some New Transition Metal Oxide Catalysts 241

LAWRENCE JANKOVICS: Equilibrium in Flocculated Systems 247

ISSUE No. 3, MARCH

ANNE D. PASQUINO and MALCOLM N. PILSWORTH, JR: The Thermal Conductivity of Polystyrene, Oriented and Unoriented, with Measurements of the Glass-Transition Temperature 253

B. G. ELGOOD, E. V. GULBEKIAN, and D. KINSLER: Emulsion Polymerization of Vinyl Acetate 257

C. E. H. BAWN, B. E. LEE, and A. M. NORTH: The Cationic Polymerization of Substituted Acetylenes 263

J. BOOR, JR., and E. A. YOUNGMAN: Ziegler Polymerization of Olefins. III. Highly Stereospecific Propylene Polymerizations without Metal Alkyls 265

A. EISENBERG and E. ROVIRA: A New Method for the Rapid Determination of Glass Transition Temperatures 269

R. C. LAIBLE and R. MEREDITH: Time-Temperature Superposition for Polypropylene 279

ROBERT L. TOBIAS: Extrapolation of Molecular Weight Distribution Data 281

A. R. HALY and MALCOLM DOLE: Differential Thermal Analysis of Polymers Undergoing a Glass Transition 285

GIANCARLO BORSINI and MAURO CIPOLLA: The Effect of Electron Donors on the Polymerization of Vinyl Chloride with Alkylboron 291

S. G. COTTIS and HAROLD ROSENBERG: The Cleavage of Ferrocene by Aluminum Chloride. Poly(cyclopentylferrocenes) 295

W. MARCONI, S. CESCA, and G. DELLA FORTUNA: Crystalline Poly-4-vinylcyclohexene-1 301

Masataka Kurokawa and Tetuo Ban: Plastic Crack Propagation in a Thin Redrawn Polyethylene Film 307

O. F. Solomon, I. Z. Ciuta, and N. Cobianu: Spontaneous Polymerization of *N*-Vinylcarbazole in the Presence of Dilute Aqueous Solutions of Perchloric Acid 311

James C. Woodbrey: Some Proton Magnetic Resonance Results on Stereochemical Regulation in Polypropylenes 315

Polymer News 323

Issue No. 4, April

Editorial 325

Professor Karl Wolf 327

C. G. Overberger and Jürgen Weise: A Polythioester by Ring-Opening Polymerization 329

T. Kawai and A. Keller: Some Effects on Molecular Fractionation during Single Crystal Growth of Polyethylene 333

R. J. de Kock and P. A. H. M. Hol: Infrared Determination of Unsaturation in Polyethylene 339

J. H. Daane and R. E. Barker, Jr: Multiple Glass Transitions in Cellulose 2.5 Acetate 343

Giulio Natta, Gino Dall'Asta, and Giuseppe Motroni: Coordinated Polymerization of Cyclobutene in the Presence of the Aqueous $RhCl_3$ Catalytic System 349

J. E. Goodrich and Roger S. Porter: Cationic Polymerization of 4-Methyl-1-Pentene 353

A. Peterlin: Excluded Volume Effect on Intrinsic Viscosity 359

Hiroyuki Tadokoro, Toshio Yoshihara, Yōzō Chatani, and Shunsuke Murahashi: A Preliminary Report of Structural Studies on Polyethylene Oxide–Urea Complex 363

R. A. Dine-Hart, B. J. C. Moore, and W. W. Wright: Aromatic Polyamides 369

J. B. Lando and V. Stannett: The Synthesis of Highly Oriented Polythiomethylene Directly by the Radiation Polymerization of Crystalline Trithiane 375

Stuart M. Ellerstein: The Glass Temperature as a Function of Molecular Weight 379

A. P. Gray and K. Casey: Thermal Analysis and the Influence of Thermal History on Polymer Fusion Curves 381

Jesse C. H. Hwa and Herman E. Ries, Jr.: Monolayers of Poly(methyl methacrylate) Derived from Poly(methacrylic anhydride) 389

TATSUO MIYAZAWA and TEIZO KITAGAWA: Crystal Vibrations, Specific Heat, and Elastic Moduli of the Polyethylene Crystal.. 395

N. KISHI and H. IIZUKA: The Barus Effect of Polymer Melts..... 399

YUKO SHIMURA, ITARU MITA, and HIROTARO KAMBE: Viscosity–Molecular Weight Relationship and Molecular Expansion of Styrene–Acrylonitrile Copolymer in Solution..... 403

A. PETERLIN and H. G. OLF: NMR Observations of Drawn Polymers. I. Angular and Temperature Dependence of Second Moment in Polyethylene..... 409

PH. TEYSSIÉ and R. DAUBY: Polymerization by Transition Metal Derivatives. II. Stereospecific Polymerization of Butadiene by Rhodium Salts and Complexes..... 413

L. C. CASE and N. H. RENT: The Base-Catalyzed Reactions of Propylene Oxide with Alcohols..... 417

D. DOSKOČILOVÁ: On the Interpretation of High Resolution NMR Spectra of Poly(vinyl chloride)..... 421

LEWIS J. FETTERS: Solvent Participation in the Anionic Polymerization of Styrene..... 425

TŌRU KAWAI. A Comment on the Length of the Chain Folds Involved in Polymer Single Crystals..... 429

YOH-HAN PAO: Clarification of Some Aspects of the Nonlinear Theory for Viscoelastic Flow..... 437

FADEL IBRAHIM: A Remark on Viscosity Average Molecular Weights 441

G. NATTA, P. PINO, and G. MAZZANTI: Comment on the Letter of A. P. Firsov, B. N. Kashprov, Yu. V. Kissin, and N. M. Chircov 443

F. E. BAILEY, JR., J. P. HENRY, R. D. LUNDBERG, and J. M. WHELAN: The Preparation of "Head-to-Head Poly(vinyl chloride)"..... 447

MARCO CESARI: Helical Conformation of *cis*-1,4 Poly(2-*t*-butylbutadiene)..... 453

H. H. G. JELLINEK: Degradation–Termination Reactions..... 457

KERMIT C. RAMEY and NATHAN D. FIELD: High Resolution NMR Spectra of Poly(propylene oxide)..... 461

HAROLD SCHONHORN: Transcrystalline Growth at a Polymer–Metal Interface..... 465

ROSTYSLAW DOWBENKO and WEN-HSUAN CHANG: Transannular Cyclopolymerization of 1,5-Cyclocooctadiene and Maleic Anhydride..... 469

O. RIPA and W. C. SCHNEIDER: Apparent Density of Polyacrylonitrile in Liquids and Liquid Mixtures..... 471

HENRY Z. FRIEDLANDER and CHARLES R. FRINK: Organized Polymerization. III. Monomers Intercalated in Montmorillonite 475

R. S. GREGORIAN and R. W. BUSH: Reduction of Polymeric Carbonyl Groups by Aluminum Isopropoxide 481

Erratum 483

ISSUE No. 5, MAY

Editorial 485

N. YAMAZAKI, K. SASAKI, and S. KAMBARA: Polymerization of Vinyl Chloride with *n*-Butyl Titanate–Aluminum Alkyls 487

KAZUO SAOTOME and SEIJI MIYATA: Polycaproamide without Passing through ε-Caprolactam 491

N. G. MCCRUM: Density-Independent Relaxations in Polypropylene 495

HOWARD W. STARKWEATHER, JR.: Turbidity and Structure of Polytetrafluoroethylene Films 499

D. C. BASSETT and R. SALOVEY: Radiation Grafting to Polymer Chain Folds 503

HIDEO SAWADA: Thermochemistry of Condensation Copolymerization 507

R. KITAMARU, L. MANDELKERN, and J. FATOU: Irradiation Cross-linking of Polyethylene: Relative Efficiency in Crystalline and Amorphous States 511

ROBERT L. MILLER and VIRGIL F. HOLLAND: On Transformations in Isotactic Polybutene-1 519

MORTON A. GOLUB and JORGE HELLER: Cyclohydrochlorination of 3,4-Polyisoprene 523

HANNS FISCHER: ESR of Transient Free Radicals during Liquid Phase Polymerization: III. On the ESR-Spectra of Polymerization Radicals of Methacryl-derivatives 529

J. POWERS and A. VAN VALKENBURG: Polymer Compression: Visual Observations on Stressed Biaxially Oriented Nylon 66 533

P. SULLIVAN and B. WUNDERLICH: Polymer Microscopy 537

EARL D. HOLLY: Thermodynamics of Polymer Solutions 541

ROBERT E. MOSER and HAROLD G. CASSIDY: Electron Transfer Polymers. XXIV. Photosensitization with a Polymer Sensitizer in a Heterogeneous and a Homogeneous System 545

Shouji Iwatsuki, Naohisa Takigawa, Masahiko Okada, Yuya Yamashita, and Yoshio Ishii: Basicity as a Factor in the Cationic Copolymerization of Cyclic Ethers 549

Harumi Asai and Tatsuya Imoto: High Pressure Copolymerization of Styrene with Methyl Methacrylate in Various Solvents 553

Kwei-Ping Shen Kwei and T. K. Kwei: Polymerization of Styrene with Sodium as Catalyst 557

M. P. Stevens: Chemical Resistance of Polyesters Containing Substituted Succinic Acids 561

Heinz F. Reinhardt: Polyadamantane 567

Erratum 569

Gordon Research Conferences 571

Issue No. 6, June

J. F. Rabek, Jr.: Investigation of the Effect of Chloronitroso Compounds on Diene Polymers in the Presence of Visible Light 577

L. A. Franks: Oxygen Bleaching of Gamma-Radiation-Induced Optical Absorption Bands in Polystyrene 581

J. Davidovits: longueur Théorique, avant courbure, de la chaîne macromoléculaire des hauts polymères linéaires 585

Kenneth A. Kun and Robert Kunin: Pore Structure of Some Macroreticular Ion Exchange Resins 587

Hiromichi Noguchi and Shu Kambara: New Catalyst Systems for the Polymerization of Conjugated Dienes 593

Kirman Taylor and Irving Malkin: Polymerization with Atomic Hydrogen 597

H. James Harwood and W. M. Ritchey: The Characterization of Sequence Distribution in Copolymers 601

R. E. DeWames and G. W. Lehman: Comments on Viscoelastic Properties of Plastics 609

P. H. Fang: On the Analysis of Dynamic Behavior of High Polymers 613

Salvatore S. Stivala and Leo Reich: Polymerizations Catalyzed by Electron Transfer Initiators 617

Leo Reich: A Rapid Estimation of Activation Energy from Thermogravimetric Traces 621

Stephen Steella: Comments on Haly and Dole's Letter on DTA. 625

C. G. Overberger, S. Ozaki, and H. Mukamal: Polymers of Vinyl Isocyanate 627

Hyuk Yu: On the Measurement of Random Chain Scission by Stress Relaxation 631

Arthur V. Tobolsky: Measurement of Random Scission by Stress Relaxation 637

Keiji Komuro, Yoshihiro Todani, and Nobuo Nagata: The Flow Behavior of Polystyrene Melt in the Nonsteady State 643

William T. Brady and Hubert R. O'Neal: Polymerization of Glyoxal 647

Eizo Oikawa and Shu Kambara: Polymerization of Saturated Nitriles with Metal Chlorides 649

Takashi Kubota and Ryoji Nakanishi: Preparation of Fully Aromatic Polybenzoxazoles 655

Polymer News 660

Issue No. 7, July

Zbigniew Wojtczak: Specific Influence of Strontium Cations on Properties of Solutions of Polymethacrylic Acid 661

Derek A. Smith: Thermal Stability of Chlorosulfonated Polyethylene 665

A. Ya. Malkin and G. V. Vinogradov: Molecular Weight-Viscosity Relationships of Polymers at High Rates of Shear 671

R. Simha, J. D. Ingham, N. S. Rapp, and J. Hardy: Polymer Degradation III. Carbon-14 as a Tracer for Studies of the Thermal Degradation of Polyurethans 675

Corrado Rossi and Carla Cuniberti: Intrinsic Viscosities of Low Poly(ethylene) Oxides POEG in Different Solvents 681

J. W. Breitenbach and O. F. Olaj: Initiation of Polymerization of *N*-Vinylcarbazole by Carbon Tetrachloride and Carbon Tetrabromide 685

Harvey Scott, Thomas P. Konen, and Mortimer M. Labes: Unusual Aspects of the Cationic Polymerization of *N*-Vinylcarbazole 689

G. G. Cameron and D. R. Kane: The Thermal Degradation of Poly(methyl acrylate) 693

Donald F. Hoeg, Donald I. Lusk, and Eugene P. Goldberg: Poly-*p*-Xylylidene 697

LAWRENCE A. WOOD: Utility of the Tait Equation Relation Volume and Pressure in the Study of Transitions in Polymers 703

N. L. ZUTTY and C. J. WHITWORTH: Correlation of the Properties of Model Compounds and the Main Chain Glass Transition in Polymers 709

C. M. MURPHY and H. RAVNER: The Effect of Cerium on the Thermal Stability of Polysiloxanes 715

HAROLD SCHONHORN and LOUIS H. SHARPE: Surface Energetics, Adhesion and Adhesive Joints. II. Joints between Epoxy Adhesives and Chlorotrifluoroethylene Homopolymer and Copolymer 719

MORTON A. GOLUB and JORGE HELLER: Remarks on the Hydrochlorination of 1,4-Polyisoprene 723

M. SHIMA, J. SMID, and M. SZWARC: Copolymerization of Butadiene, Isoprene, and 2,3-Dimethyl Butadiene with Living Polystyrene. Electron-Donating Effect of Methyl Group 735

P. INGRAM and A. PETERLIN: Electron Diffraction and Microscopy of Deformed Polyethylene Spherulites. I 739

ISAAC D. RUBIN: Relative Stabilities of Polymorphs of Polybutene-1 Obtained from the Melt 747

A. PETERLIN and G. MEINEL: Light Scattering by Polyethylene Single Crystal Suspensions 751

F. L. SAUNDERS: Observations on Spherulite Structure in Poly(4-methyl-1 pentene) 755

ISSUE No. 8, AUGUST

L. COTTAM, R. P. SHELDON, D. A. HEMSLEY, and R. P. PALMER: Void Formation in Solvent-Crystallized Polyethylene Terephthalate Film 761

SUEO MACHI, MIYUKI HAGIWARA, MASAO GOTODA, and TSUTOMU KAGIYA: New Information on the γ-Ray Radiation-Induced Polymerization of Ethylene 765

A. PETERLIN and H. G. OLF: NMR Observations of Drawn Polymers. III. Polyoxymethylene 769

C. L. FURROW and C. E. STOOPS: The Radiation-Induced Polymerization-Modification of Acrylonitrile 775

TSUTOMU KAGIYA, MASATSUGU IZU, and KENICHI FUKUI: Catalytic Effect of Inorganic Solid Additives on the Radiation-Induced Solid State Polymerization of 3,3-Bis-chloromethylcycloxabutane 779

J. ŠTOKR, B. SCHNEIDER, and J. VODŇANSKY: Molecular Structure and Vibrational Spectra of D,L- and Meso-2,4-Pentanedioldiacetate 783

M. Ishibashi: A Crystallizable Copolymer Composed of *p*-γ-Oxypropoxy Benzoate Units and Ethylene-1,4-Diphenoxybutane-*p*,*p*′-dicarboxylate Units 789

M. Ishibashi: A Crystallizable Copolymer Prepared from 1,4-Bis(*p*-carboxyphenoxy) Butane, Terephthalic Acid, and Ethylene Glycol 791

R. B. Beevers and E. F. T. White: X-Ray Scattering by Acrylonitrile + Styrene Copolymers 793

M. J. Vignale: Flow Patterns in Capillary Rheometer Reservoirs. 799

R. J. Fredericks, D. G. Lynch, and W. E. Daniels: Thermal Properties of Poly(acetylene): On the Origin of Cuprene in Reppe's Cyclooctatetraene Synthesis 803

K. Kamide, and W. R. Moore: Analysis of Intrinsic Viscosity-Molecular Weight Data 809

M. Szwarc and J. J. Hermans: Molecular Weight Distribution in a Non-Terminated Polymerization Involving Living and Dormant Polymers 815

George Odian and Bruce S. Bernstein: Radiation Crosslinking of Polyisobutylene 819

Arthur V. Tobolsky: Measurement of Random Scission by Stress Relaxation in Polysulfide and Other Networks: Weak Linkages 823

A. D. Ketley: Isomerization Polymerization of Branched Alpha Olefins 827

R. Salovey: On the Morphology of Crosslinking Polymers 833

E. P. Goldberg and E. J. Powers: Polycarbonate–Siloxy Copolymers and Blends 835

Erratum 839

Issue No. 9, September

R. L. Kruse: Extrudate Swelling of Molten Polypropylene from an Extrusion Rheometer 841

Kei Matsuzaki, Hiroshi Sobue, and Zenjiro Osawa: Analysis of Thermal Degradation of Polypropylene with a Thermal Balance 845

Tatsuo Miyazawa: Infrared Spectra and Chemical Structure of Polypropylene 847

Itaru Nakamura and Eiichi Hayashi: Low Molecular Weight Polyethylene Terephthalate and Fiber Forming Property 851

R. Chiang: The Effect of Back Reflection Correction on the Mark-Houwink Equation of Fractions of Linear Polyethylene 855

Koichi Takakura, Koichiro Hayashi, and Seizo Okamura: Polymerization of Cylic Ethers in the Presence of Maleic Anhydride 861

Kermit C. Ramey, Nathan D. Field, and Ichiro Hasegawa: High Resolution NMR Spectra of Poly(vinyl methyl ether) 865

Kenneth O'Driscoll: Copolymerization under Azeotropic Conditions 869

M. Berger and T. A. Manuel: The Pyrolysis of Elastomer–Metal Halide Mixtures 873

P. W. Erickson and A. Volpe: Porous Plastic 877

Jack B. Kinsinger and Larry E. Ballard: The Molecular Weight Dependence of Lower Critical Temperatures in Polymer Solutions 879

Leonard C. Grotz: The Huggins Constant for Poly(vinyl chloride) 883

N. Nakajima and P. S. L. Wong: The Effect of Flow Rate on the Velocity Profile in a Capillary for Molten Polyethylene 887

Catherine S. Hsia Chen: Dye-Sensitized Solid State Polymerization Induced by Visible Light 891

I. Kirshenbaum, R. B. Isaacson, and W. C. Feist: The Effect of Molecular Motion on the Birefringence–Temperature Curve for Poly-4-methyl-1-pentene 897

J. Boor, Jr. and E. A. Youngman: Polymorphism in Poly-1-butene: Apparent Direct Formation of Modification I 903

R. S. Hagan and D. A. Davis: Post Extrusion Swelling of Rubber Modified Polystyrenes 909

M. Levine, G. Ilkka, and P. Weiss: Relation of the Critical Surface Tension of Polymers to Adhesion 915

Issue No. 10, October

Hisaya Tani, Takanobu Aoyagi, and Takeo Araki: Stereospecific Polymerization of Acetaldehyde. I. Polymerization of Acetaldehyde Using $AlEt_3$–Alkali Metal Hydroxide Catalytic Systems 921

M. D'Alagni, P. De Santis, A. M. Liquori, and M. Savino: A Comparison between the Far Ultraviolet Spectra of Isotactic and Syndiotactic Poly(methyl methacrylate) in Solution 925

Hisaya Tani, Hajima Yasuda, and Takeo Araki: Stereospecific Polymerization of Acetaldehyde with Catalytic Systems: $AlEt_3$–Ketone–H_2O and $AlEt_3$–Amide–H_2O 933

J. Dobo and T. Czvikovsky: The Grafting of Styrene onto Polyethylene by Radiation of Low Intensity 939

S. S. Stivala, G. R. Sacco, and L. Reich: Polymers Containing Azulene. I. Poly-Schiff Bases 943

R. O. Symcox: Polymers from Butene-2 947

R. C. Giberson: Transvinylene Formation in Gamma Irradiated Polyethylene 951

Joseph Zimmerman: Equilibria in Solid Phase Polyamidation 955

John C. Halpin: Nonlinear Rubberlike Viscoelasticity 959

Toru Kawai: A Comment on the Invariance of the Fold Period of Single Crystals with Polymer Molecular Weight and Concentration of the Mother Solution 965

Takayiki Otsu, Akihiko Shimizu, and Minoru Imoto: Alternative Copolymerization of Butene Isomers with Maleic Anhydride 973

J. Moacanin and A. Rembaum: Kinetics of the Anionic Polymerization of Acenaphthylene 979

Jerome A. Seiner: Clustering Tendency in Multicomponent Polymerization Systems 985

Joseph Green, Marvin M. Fein, Nathan Mayes, George Donovin, Michael Israel, and Murray S. Cohen: Polymers from Decaborane 987

D. G. L. James and Takeshi Ogawa: The Copolymerization of Crotononitrile and Styrene. I. *Trans*-Crotononitrile: The Penultimate Unit Effect 991

Robert K. Jenkins: Dynamic Modulus Properties of Some Polymers During Gamma Irradiation 999

Issue No. 11, November

J. B. Yannas: Highly Precise Density Determination for Polymers in Latex Form 1005

S. Krimm, V. L. Folt, J. J. Shipman, and A. R. Berens: Conformation-Sensitive Infrared Carbon-Chlorine Bands of Poly(vinyl chloride) 1009

Joan Bond, C. W. Brown, and G. S. Rushton: The Role of Ferric Chelates in Polymerization Initiation 1015

R. Kitamaru and L. Mandelkern: A Comparison of the Cross-linking of Highly Oriented and Non-Oriented Crystalline Polyethylene by Ionizing Radiation 1019

Enrico Pedemonte and Umberto Bianchi: Dilatometric Evidence of a Transition in Polybutadienes with Various 1,4-*Cis* Contents 1025

K. Kamide and W. R. Moore: The Draining Effect in Viscosity and Sedimentation for Cellulose Trinitrate Solutions 1029

Sadao Yuguchi and Masao Iwamoto: 1,3-Polymerization of Propylene Using Vanadium (IV) Chloride–Ferric Tris(acetylacetonate) Adduct and Triethyl Aluminum 1035

A. J. Canale and W. A. Hewett: Ligand Effects on the Directed Polymerization of Butadiene by Palladium Salts in Aqueous Media 1041

R. H. Marchessault and W. J. Settineri: Some Comments on the Crystallography of Xylan Hydrate 1047

K. Casey, C. T. Elston, and M. K. Phibbs: Methyl Group Clusters in Free Radical Polyethylene 1053

Gianalvise Carazzolo and Mario Mammi: Radiation Polymerization of Trithiane to Polythiomethylene: Structure and Orientation of Polymer Crystals 1057

M. Braden: Relationship of Creep and Recovery to Behavior under Sinusoidal Strain 1061

J. P. M. de Kroon and H. Borsten: Linear Relationship Determining the Tensile Properties of Viscose Rayons 1067

Chul-Yung Cha: Tritium Exchange Studies on Poly(ethylene terephthalate) 1069

H. Kawai, T. Itoh, D. A. Keedy, and R. S. Stein: The Measurement of the Orientation Rate of Crystals in a Crystalline Polymer by Dynamic X-Ray Diffraction 1075

Johann F. Klebe: Silylsubstituted Polyureas 1079

Polymer News 1084

Issue No. 12, December

E. J. Vandenberg: Some Mechanism Aspects of Epoxide Polymerization. Stereochemical Structure of the Crystalline Polymers from the 2,3-Epoxybutanes 1085

A. Ciferri and J. J. Hermans: Non-equilibrium Effects in the Stress–Strain Behavior of Rubbers for the Explanation of Deviations from Rubber Elasticity Theory 1089

Howard C. Haas and Norman W. Schuler: Thermally Reversible Homopolymer Gel Systems 1095

Y. P. Castille and V. Stannett: The Radiation Induced Copolymerization of Formaldehyde and Styrene 1097

Dominic J. Macchia and Frederick A. Bettelheim: Sorption of Water Vapor by Amylose "B" 1101

G. Moraglio and J. Brzezinski: Conformation of Isotactic Polypentene-1 1105

LEO REICH and DAVID W. LEVI: A Graphical Estimation of Reaction Order from Thermogravimetric Traces 1109

PADEN F. DISMORE and W. O. STATTON: Chain Folding in Oriented 66-Nylon Fibers 1113

GERALD W. SEARS: Growth of Polymer Crystals by a Screw Dislocation Mechanism 1117

HEIMEI YUKI, KOICHI KOSAI, SHUNSUKE MURAHASHI, and JUNICHI HOTTA: Anionic Alternative Copolymerization 1121

SINJI NOSE: Refractive Indices of High Polymers 1127

R. YAMADA and R. S. STEIN: Dynamic Dichroism of Dyed Polymer Films 1131

KEI MATSUZAKI, TOSHIYUKI URYU, AKIRA ISHIDA, and TATSUMI OHKI: Stereoregularity of Poly(methyl acrylate) and Polyacrylonitrile 1139

MINORU TSUDA: An Interpretation of the Optical Sensitization of Poly(vinyl cinnamate) 1143

ROBERT K. JENKINS: Temperature Dependency of Crosslinking Rate of Polymers During Gamma Irradiation 1147

HIROSHI YOSHIDA and BENGT RÅNBY: ESR Spectra of Methyl Radicals Trapped in Polypropylene after Ultraviolet Irradiation 1155

J. P. KENNEDY, C. A. COHEN, and W. NAEGELE: Intramolecular Hydride Shift Polymerization by Cationic Mechanism. VI. Polymerization of 3-Phenyl-1-butene 1159

G. M. BURNETT, J. N. HAY, and F. L. ROSS: Aldehyde Peroxides as Initiators for the Polymerization of Acrylonitrile 1165

J. PRESTON and F. DOBINSON: New High Temperature Aromatic Polyamides 1171

D. M. MILES and S. BYWATER: The Electronic Spectra of Poly(methyl methacrylate) Anions 1175

GERALD OSTER: Photochemical Crosslinking of Non-aqueous Polymers by Near Ultraviolet Light 1181

Author Index 1183

Subject Index 1196

Volume Title Page i

Volume Contents iii

Manuscripts should be submitted to one of the members of the Editorial Board or to the Editorial Office, c/o H. Mark, Polytechnic Institute of Brooklyn, 333 Jay Street, Brooklyn, New York 11201. Address all other correspondence to Interscience Publishers, a Division of John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10016.